MADE IN U.S.A.

GENUINE

Trussell

74 CL

LOOSE LEAF INDEX

DURABLE INDEX DIVIDERS, SUITABLE FOR SCHOOL OR COMMERCIAL USE



IDEAL FOR CLASSIFYING OR SEPARATING STUDIES, VARIOUS SUBJECTS OR MISCELLANEOUS DATA.

CLASS SCHEDULE

PERIOD / TIME	FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH
COURSE **MONDAY** INSTRUCTOR								
COURSE **TUESDAY** INSTRUCTOR								
COURSE **WEDNESDAY** INSTRUCTOR								
COURSE **THURSDAY** INSTRUCTOR								
COURSE **FRIDAY** INSTRUCTOR								
COURSE **SATURDAY** INSTRUCTOR								

NAME _____

SCHOOL _____ CLASS _____

HOME ADDRESS _____

CITY _____ TELEPHONE _____

SPECIES Sceloporus occidentalis TAG. NO. 201

CONTAINER NO. _____ SEX ♂ AGE Ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 79

DATE 6 Aug 1959 SPEEDOMETER _____

LOCALITY Camp Emerson

COUNTY Riverside CALIF.

STANDARD TIME 1200 / 1400 CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) 5200

WIND VELOCITY (mi/hr) _____ ROAD TEMP. _____

AIR TEMP (30 in) _____ °C AIR TEMP(1cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C

HABITAT Coniferous forest

REMARKS:

SPECIES Sceloporus occidentalis TAG. NO. 202

CONTAINER NO. ____ SEX ♂ AGE Ad TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 79

DATE 6 Aug 59 SPEEDOMETER ____

LOCALITY Camp Emerson

COUNTY ____ CALIF.

STANDARD TIME 1400 (1200) CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 5200

WIND VELOCITY (mi/hr) ____ ROAD TEMP. ____

AIR TEMP (30 in) ____ °C AIR TEMP(1cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C

HABITAT Coniferous forest

REMARKS:

Digitized by the Internet Archive
in 2017 with funding from
CLIR

https://archive.org/details/code2sceloporuso00mayh_0

SPECIES Sceloporus occidentalis TAG. NO. 203

CONTAINER NO. _____ SEX ♀ AGE Ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 70

DATE 6 Aug 1959 SPEEDOMETER _____

LOCALITY Camp Emerson

COUNTY Riverside CALIF.

STANDARD TIME 1200 / 1400 CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) 5200

WIND VELOCITY (mi/hr) _____ ROAD TEMP. _____

AIR TEMP (30 in) _____ °C AIR TEMP(1cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C

HABITAT Coniferous forest

REMARKS: _____

SPECIES Sceloporus occidentalis FIELD NO. 204

CONTAINER NO. _____ SEX ♀ AGE Ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 63

DATE 6 Aug 1959 SPIROMETER _____

LOCALITY Camp Emerson

COUNTY Riverside CALIF.

STANDARD TIME 1200 / 1400 CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) 5200

WIND VELOCITY (mi/hr) _____ ROAD TEMP. _____

AIR TEMP (30 in) _____ °C AIR TEMP(1cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C

HABITAT Coniferous forest.

REMARKS:

Sceloporus occidentalis 205

R22 ♀ ad. 1

76

Aug. 11, 1959 —

Cow Creek, 5 mi. N. of Strawberry

Tuolumne

0912 0

— —

0 5700

0

27.6 30.0

35.0

38.8

yellow pine forest

sitting in sun on a small rock in a clearing, 10 ft. chase.

Left ovary - 12: 0.5 - 2 mm.

Right " - 10: 0.5 - 2 mm.

Large fat bodies. Highly convoluted oviducts.

Sceloporus occidentalis 206

R2 ♀ ad.

71

Aug. 11, 1959 2787

3 mi. E. of Dardanelles

Tuolumne

1740 0

— —

N.W. 6200

8-11

24.4 24.4

27.8

yellow pine forest

sitting in sun on fallen log. No chase. (In meadow)

Left ovary – 7:1–2 mm.

Right " – 7:1–2 "

Large fat bodies. Highly convoluted oviducts.

Sceloporus occidentalis 207

R18 ♂ ad. 1

78

Aug. 14, 1959 2853

Cow Creek, 5 mi. N. of Strawberry

Tuolumne

1055 0

— —

0 5700

0

26.2 38.0

50+ 34.6

substrate temp. 50+ °C.
(log)

yellow pine forest

sitting on rock in partial sun. Ran 15 ft. to yellow pine.

Sceloporus occidentalis 208

R 18 ♂ ad. 2

69

Aug. 14, 1959 2853

Cow Creek, 5 mi. N. of Strawberry

Tuolumne

1115 0

— —

0 5700

0

(30 in) 26.2 °C AIR TEMP(C) 38.0

50+ °C CLOACAL TEMP 31.0

°C

yellow pine forest

In a yellow pine. 20 ft. chase.

Sceloporus occidentalis 209

Y9 ♂ ad. 2

Aug. 14, 1959 2853

Cow Creek, 5 mi. N. of Strawberry

Tuolumne

1012 0

— —

0 5700

0

23.8 °C 31.2

46.0 °C 34.4

°C

yellow pine forest

in sun on rock. 10 ft. chase.

210
~~209~~

Sceloporus occidentalis

R18 ♂ imm.(?) 3

55

Aug. 14, 1959 2853

Cow Creek, 5 mi. N. of Strawberry

Tuolumne

1145 0

— —

0 5700

0

26.2 °C 38.0

50+ °C

yellow pine forest

Seen running beneath log. Long chase, so no cloacal temp. taken.

Sceloporus occidentalis 211

YS ♂ ad. 1

67

AUG 26 1959 30290

Phelan

SAN BERNARDINO

08/2 0

— 40

0 4100

0

24.0 °C 26.5

34.2 °C 34.4

°C

JOSHUA TREE WOODLAND

in sun on top of fencepost. 2 ft. chase.

Sceloporus occidentalis 212

Y5 ♂ ad. 2

66

AUG 26 1959 30290

Phelan

SAN BERNARDINO

0820 0 —

— 40

S.W. 4100

1-3

24.0 °C 26.5

34.2 °C 34.2

JOSHUA TREE WOODLAND

in sun on top of fencepost. 8 ft. chase.

Sceloporus occidentalis 213

YS ♂ ad. 3

69

AUG 26 1959 30290

Phelan

SAN BERNARDINO

0820 0

— 40

S. W. 4/80

1-3

24.0 °C 26.5

34.2 °C 33.1

JOSHUA TREE WOODLAND

in sun on top of fencepost. 6 ft. chase,

Sceloporus occidentalis 214

YS ♂ ad. 4

61

AUG 26 1959 30290

Phelan

SAN BERNARDINO

0829 0

— 39

0 4/00

0

24.0 °C 26.5

34.2 °C 36.2

°C

JOSHUA TREE WOODLAND

in sun on fencepost. 3 ft. chase.

Sceloporus occidentalis 215

YS ♂ ad. 5

65

AUG 26 1959 30290

Phelan

SAN BERNARDINO

0831 0

— 39

0 4100

0

24.0 °C AIR TEMP(1mm) 26.5

34.2 °C CLOACAL TEMP 38.0

°C

JOSHUA TREE WOODLAND

in sun on fallen Joshua tree. 2 ft. chase.

Sceloporus occidentalis 216

R28 ♀ ad. 6

69

AUG 26 1959 30290

Phelan

SAN BERNARDINO

0840 0

38

N.E. 4100

3-5

24.0 26.5

34.2 31.4

JOSHUA TREE WOODLAND

in sun on dead stump. 5 ft. chase.

Sceloporus occidentalis 217

R28 ♀ ad. 7

71

AUG 26 1959 30290

Phelan

SAN BERNARDINO

0840

– 38

N. E. 4100

3-5

24.0 °C AIR TEMP(Beg) 26.5

34.2 °C CLOACAL TEMP 33.2

°C

JOSHUA TREE WOODLAND

in sun on fallen Joshua tree. 5 ft.

chase.

Sceloporus occidentalis 218

R28 ♂ ad. 8

70

AUG 26 1959 30290

Phelan

SAN BERNARDINO

0900 0

— 36

0 4100

0

24.0 °C AIR 26.5

34.2 °C 34.5

°C

JOSHUA TREE WOODLAND

in sun on Joshua Tree trunk. No chase.

Sceloporus occidentalis 219

R21 ♂ ad. 9

64

AUG 25 1959 30290

Phelan

SAN BERNARDINO

0909 0

— 36

N.E. 4100

1-3

26.0 28.0

42.8 32.4

JOSHUA TREE WOODLAND

in sun on woodpile. No chase. Blood vessel in right eye ruptured, squirting blood at collector (David Reuther)

Sceloporus occidentalis 220

R 21 07 ad.

75

AUG 26 1959

30290

Phelan

SAN BERNARDINO

0935 0

— 35

0 4100

0

26.0 28.0

42.8 34.1

JOSHUA TREE WOODLAND

in sun on woodpile. 4 ft. chase.



Sceloporus occidentalis 221

R 21 ♂ ad. 10

65

AUG 26 1959 30291

1 mi. E. of Phelan

SAN BERNARDINO

0954 0

— 32

N. W. 4100

1-3

26.0 °C AIR TEMP(1cm) 28.0

42.8 °C CHANGE TEMP 34.5

°C

JOSHUA TREE WOODLAND

in sun on fencepost. No chase.

Sceloporus occidentalis 222

R38 ♂ ad. 11

63

AUG 2 1959 30292

2 mi. E. of Phelan

SAN BERNARDINO

1030 0

– 30

N.W. 4100

3-5

30.0 34.0

49.5 33.8

JOSHUA TREE WOODLAND

in sun on Joshuatree trunk. 4 ft. chase.

Sceloporus occidentalis 223

R38 ♂ ad(?) 12

63

AUG 26 1959 30292

2 mi. E. of Phelan

SAN BERNARDINO

1030 0

— 30

N. W. 4100

3-5

30.0 °C 34.0

49.5 °C 33.0

°C

JOSHUA TREE WOODLAND

in shade on fallen Joshua Tree. 1 ft. chase.

Sceloporus occidentalis 224

R38 ♂ ad. 13

63

AUG 26 1959 30292

2 mi. E. of Phelan

SAN BERNARDINO

1035 0

– 30

N. W. 4/80

3-5

30.0 34.0

49.5 33.5

JOSHUA TREE WOODLAND

in partial shade on dead snag. No chase.

Sceloporus occidentalis 225

R 38 ♀ ad. (?) 14

53

AUG 26 1959 30292

2 mi. E. of Phelan

SAN BERNARDINO

1045 0

— 30

N, W. 4100

3-5

30.0 °C 34.0

49.5 °C 35.2

°C

JOSHUA TREE WOODLAND

in sun on dead stump. 3 ft. chase.

Sceloporus occidentalis 226

R49 ♀ ad. 15

61

AUG 26 1959 30298

5 mi. E. of Phelan

SAN BERNARDINO

1203 0

— 25

S. W. 4100

3-5

30.0 °C AIR TEMP (cm) 37.0

56.0 °C SURFACE TEMP 33.7

JOSHUA TREE WOODLAND

in shade on Joshua tree trunk.

6 ft. chase.

Sceloporus occidentalis 227

R34 ♂ ad. 16

74

AUG 26 1959 30314

Hesperia

SAN BERNARDINO

1330 0

– 20

S.E. 3650

3-7

32.5 37.0

53.0 34.3

JOSHUA TREE WOODLAND

in shade on dead snag. No chase.

Sceloporus occidentalis 228

R34 ♂ ad. 17

62

AUG 26 1959

30314

Hesperia

SAN BERNARDINO

1342 0

— 20

S.E. 3600

3-7

32.5 37.0

53.0 35.1

JOSHUA TREE WOODLAND

in shade on Joshua Tree branch. 3 ft. chase.

Sceloporus occidentalis 229

R34 ♀ ad. 18

71

AUG 26 1959

30314

Hesperia

SAN BERNARDINO

1350 0

— ~~20~~

S.E. 3600

3-7

32.5 °C AIR TEMP. 37.0

53.0 °C SOIL TEMP. 33.7

JOSHUA TREE WOODLAND

in shade on fallen Joshua tree. 3 ft. chase.

Scaloporus occidentalis 230

R23 ♂ ad. 19

80

AUG 26 1959 30331

7 mi. N.W. of Cajon Junction

SAN BERNARDINO

1440 0

– 29

S.E. 3900

7-10

28.8 °C 32.8

44.0 °C 34.6

Joshua tree woodland

in shade on brushpile. No chase.

Sceloporus occidentalis 231

R 19 ♀ ad. 20

71

AUG 26 1959 30344

3 mi. W. of Wrightwood

LOS ANGELES

1520 0

– 28

0 6600

0

26.5 °C AIR TEMP(final) 28.5

47.0 °C CLOACAL TEMP 35.7

°C

coniferous forest

in sun on power pole. No chase.

Sceloporus occidentalis 232

R19 ♀ ad. 21

74

AUG 26 1959 30344

3 mi. W. of Wrightwood

LOS ANGELES

1525 0

— 28

0 6600

0

26.5 28.5

47.0 34.8

coniferous forest

in sun on power pole. No chase.

Sceloporus occidentalis 233

R24 07 ad. 22

78

AUG 26 1959 30348

3 mi. W. of Big Pines

LOS ANGELES

1600 0

— 30

0 7550

0

20.5 °C 24.0

39.5 °C 36.6

°C

coniferous forest

in shade on ground. 2 ft. chase.

Sceloporus occidentalis 234

R24 ♀ ad. 23

65

AUG 26 1959 30348

3 mi. W. of Big Pines

LOS ANGELES

1605 0

— 30

S.W. 7550

3-5

20.5 °C AIR TEMP(1.m) 24.0

39.5 °C CLOACAL TEMP 31.5

°C

coniferous forest

in shade on ground. 2 ft. chase.

Sceloporus occidentalis 235

R 27 ♂ ad. 24

71

AUG 26 19[illegible] 30348

3 mi. W. of Big Pines

LOS ANGELES

1618 0

— 30

S. W. 75-50

3-5

20.5 °C 24.0

39.5 °C 31.7

°C

coniferous forest

in shade on rocky slope. 3 ft. chase.

Sceloporus occidentalis 236

R33 ♀ ad. 25

74

AUG 25 1959 30348

3 mi. W. of Big Pines

LOS ANGELES

1645 0

– 35

S. W. 7700

3-5

20.5 24.0

39.5 31.5

coniferous forest

in shade on ground. 1 ft. chase.

Sceloporus occidentalis 237

R33 ♂ ad. 26

68

AUG 26 1959 30348

3 mi. W. of Big Pines

LOS ANGELES

1647 0

— 35

S. W. 7700

3-5

20.5 °C 24.0

39.5 °C 35.8

coniferous forest

in sun on rock. No chase.

SPECIES *Sceloporus occidentalis* TAG. NO. 238

CONTAINER NO. Y13 SEX ♂ AGE ad. TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 68

DATE Aug. 29, 1959 SPEEDOMETER 3859

LOCALITY South Fork Campground, Barton Flats

COUNTY San Bernardino CALIF.

STANDARD TIME 1300 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 6300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 25.0 °C AIR TEMP(1 cm) 31.4 °C

SOIL SURFACE TEMP 32.2 °C CLOACAL TEMP 35.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT coniferous forest

CHASE 0 FEET

REMARKS: in sun beneath willow thicket.

SPECIES Sceloporus occidentalis TAG. NO. 239

CONTAINER NO. Y13 SEX ♀ AGE ad. TOE CLIP # 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 66

DATE Aug. 29, 1959 SPEEDOMETER 3859

LOCALITY South Fork Campground, Barton Flats

COUNTY San Bernardino CALIF.

STANDARD TIME 1335 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 6300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 25.0 °C AIR TEMP(1 cm) 31.4 °C

SOIL SURFACE TEMP 32.2 °C CLOACAL TEMP 35.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT coniferous forest

CHASE 3 FEET

REMARKS: in sun on a rock.

SPECIES Sceloporus occidentalis TAG. NO. 240

CONTAINER NO. Y13 SEX ♂ AGE ad. TOE CLIP # 3

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 79

DATE Aug. 29, 1959 SPEEDOMETER 3859

LOCALITY South Fork Campground, Barton Flats

COUNTY San Bernardino CALIF.

STANDARD TIME 1342 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 6300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 25.0 °C AIR TEMP(1 cm) 31.4 °C

SOIL SURFACE TEMP 32.2 °C CLOACAL TEMP 29.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT coniferous forest

CHASE 3 FEET

REMARKS: in partial sun on a rock.

SPECIES *Sceloporus occidentalis* TAG. NO. 241

CONTAINER NO. Y13 SEX ♀ AGE ad. TOE CLIP # 4

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 66

DATE Aug. 29, 1959 SPEEDOMETER 3859

LOCALITY South Fork Campground, Barton Flats

COUNTY San Bernardino CALIF.

STANDARD TIME 1413 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 6300

WIND VELOCITY(mi/hr) 1-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 28.6 °C AIR TEMP(1 cm) 32.8 °C

SOIL SURFACE TEMP 48.0 °C CLOACAL TEMP 38.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT coniferous forest

CHASE 3 FEET

REMARKS: in sun on a rock.

SPECIES *Sceloporus occidentalis* TAG. NO. 242

CONTAINER NO. Y13 SEX ♀ AGE ad. TOE CLIP # 5

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 66

DATE Aug. 29, 1959 SPEEDOMETER 3859

LOCALITY South Fork Campground, Barton Flats

COUNTY San Bernardino CALIF.

STANDARD TIME 1417 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 6300

WIND VELOCITY(mi/hr) 1-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 28.6 °C AIR TEMP(1 cm) 32.8 °C

SOIL SURFACE TEMP 48.0 °C CLOACAL TEMP 36.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT coniferous forest

CHASE 2 FEET

REMARKS: in sun on a log

SPECIES *Sceloporus occidentalis* TAG. NO. 243

CONTAINER NO. R21 SEX ♀ AGE ad. TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 74

DATE Sept. 6, 1959 SPEEDOMETER —

LOCALITY South Fork Campground, Barton Flats

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1158 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S. W. ALTITUDE(ft.) 6300

WIND VELOCITY(mi/hr) 1-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 25.6 °C AIR TEMP(1 cm) 34.8 °C

SOIL SURFACE TEMP 48.4 °C CLOACAL TEMP 35.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT coniferous forest

CHASE 10 FEET

REMARKS: partial shade on rock near creek.

SPECIES *Sceloporus occidentalis* TAG. NO. 244

CONTAINER NO. R7 SEX ♂ AGE ad. TOE CLIP # 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 75

DATE SEP 15 1959 SPEEDOMETER 31466

LOCALITY Phelan

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 0920 CLOUDS(% overcast) 05

MOON — RELATIVE HUMIDITY(%) 57

WIND DIRECTION NW ALTITUDE(ft.) 4100

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 16.0 °C AIR TEMP(1 cm) 19.2 °C

SOIL SURFACE TEMP 27.4 °C CLOACAL TEMP 32.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT JOSHUA TREE WOODLAND

CHASE 0 FEET

REMARKS: in sun on Joshua tree debris

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 245

CONTAINER NO. R7 SEX ♂ AGE ad TOE CLIP# 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 70

DATE SEP 15 1959 SPEEDOMETER 31467

LOCALITY Phelan

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 0950 CLOUDS(% overcast) 5

MOON — RELATIVE HUMIDITY(%) 49

WIND DIRECTION N.W. ALTITUDE(ft.) 4100

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 16.0 °C AIR TEMP(1 cm) 19.2 °C

SOIL SURFACE TEMP 27.4 °C CLOACAL TEMP 26.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT JOSHUA TREE WOODLAND

CHASE 8 FEET

REMARKS: in sun on Joshua Tree debris

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 246

CONTAINER NO. R42 SEX ♀ AGE ad. TOE CLIP# 3

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 73

DATE SEP 5 1969 SPEEDOMETER 31467

LOCALITY Phelan

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1055 CLOUDS(% overcast) 10

MOON — RELATIVE HUMIDITY(%) 41

WIND DIRECTION N.W. ALTITUDE(ft.) 4100

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 20.5 °C AIR TEMP(1 cm) 22.0 °C

SOIL SURFACE TEMP 35.1 °C CLOACAL TEMP 28.4 °C

ROCK SURFACE TEMP 34.9 °C SUBSTRATE TEMP _____ °C

HABITAT JOSHUA TREE WOODLAND

CHASE 15 FEET

REMARKS: in sun on a rock (apparently cooled off while hiding in shade of bush)

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 247

CONTAINER NO. R42 SEX ♂ AGE ad. TOE CLIP# 4

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 74

DATE SEP 15 1959 SPEEDOMETER 31467

LOCALITY Phelan

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1100 CLOUDS(% overcast) 10

MOON — RELATIVE HUMIDITY(%) 41

WIND DIRECTION N.W. ALTITUDE(ft.) 4100

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 20.5 °C AIR TEMP(1 cm) 22.0 °C

SOIL SURFACE TEMP 35.1 °C CLOACAL TEMP 32.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT JOSHUA TREE WOODLAND

CHASE 8 FEET

REMARKS: in sun on Joshua tree trunk

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 248

CONTAINER NO. B62 SEX ♂ AGE Ad TOE CLIP # 5

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 68

DATE SEP 15 1959 SPEEDOMETER 31497

LOCALITY 3 mi. S. of Big Rock Springs

COUNTY Los Angeles CALIF.

STANDARD TIME 1345 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 32

WIND DIRECTION N.W. ALTITUDE(ft.) 4800

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 19.0 °C AIR TEMP(1 cm) 24.0 °C

SOIL SURFACE TEMP 37.0 °C CLOACAL TEMP 34.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT Yellow Pine Forest

CHASE 40 FEET

REMARKS: sitting in sun on ground

SPECIES [illegible] TAG. NO. 249

CONTAINER NO. R29 SEX ♂ AGE ad TOE CLIP # 6

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 78

DATE [illegible] SPEEDOMETER 31497

LOCALITY 3 mi. S. of Big Rock Springs

COUNTY LOS ANGELES CALIF.

STANDARD TIME 1410 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 32

WIND DIRECTION N. W. ALTITUDE(ft.) 4800

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 19.0 °C AIR TEMP(1 cm) 24.0 °C

SOIL SURFACE TEMP 37.0 °C CLOACAL TEMP 32.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT yellow pine forest

CHASE 5 FEET

REMARKS: in sun on sand at edge of road

SPECIES [illegible] TAG. NO. 250

CONTAINER NO. R44 SEX ♀ AGE ad TOE CLIP # 7

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 77

DATE SEP 15 1959 SPEEDOMETER 31497

LOCALITY 3 mi. S. of Big Rock Springs

COUNTY LOS ANGELES CALIF.

STANDARD TIME 1423 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 30

WIND DIRECTION N.W. ALTITUDE(ft.) 4800

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 19.0 °C AIR TEMP(1 cm) 24.0 °C

SOIL SURFACE TEMP 37.0 °C CLOACAL TEMP 35.7 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT yellow pine forest

CHASE 0 FEET

REMARKS: in sun in scrub.

SPECIES *Sceloporus occidentalis* TAG. NO. 251

CONTAINER NO. ___ SEX ♂ AGE ad TOE CLIP # ___

WEIGHT(gms) ___ SNOUT-VENT LENGTH(mm) 75

DATE 8 July 1959 SPEEDOMETER ___

LOCALITY Camp Emerson, 1 mi. from Idyllwild

COUNTY Riverside CALIF.

STANDARD TIME ___ CLOUDS(% overcast) ___

MOON ___ RELATIVE HUMIDITY(%) ___

WIND DIRECTION ___ ALTITUDE(ft.) 5200

WIND VELOCITY(mi/hr) ___ ROAD TEMP. ___ °C

AIR TEMP(30 in) ___ °C AIR TEMP(1 cm) ___ °C

SOIL SURFACE TEMP ___ °C CLOACAL TEMP ___ °C

ROCK SURFACE TEMP ___ °C SUBSTRATE TEMP ___ °C

HABITAT yellow pine forest

CHASE ___ FEET

REMARKS: Caught by David Reuther. No other data available. Kept in deep freeze until Sept. 18, 1959.

SPECIES *Sceloporus occidentalis* TAG. NO. *252*

CONTAINER NO. ____ SEX *♀* AGE *ad.* TOE CLIP # ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) *70*

DATE *8 July 1959* SPEEDOMETER ____

LOCALITY *Camp Emerson, 1 mi. from Idyllwild*

COUNTY *Riverside* CALIF.

STANDARD TIME ____ CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) *5200*

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT *yellow pine forest*

CHASE ____ FEET

REMARKS: *Caught by David Reuther. No other data available. Kept in deep freeze until Sept. 18, 1959.*

SPECIES Sceloporus occidentalis TAG. NO. 253

CONTAINER NO. ____ SEX ♀ AGE ad. TOE CLIP # ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 75

DATE 8 July 1959 SPEEDOMETER ____

LOCALITY Camp Emerson, 1 mi. from Idyllwild

COUNTY Riverside CALIF.

STANDARD TIME ____ CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 5200

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT yellow pine forest

CHASE ____ FEET

REMARKS: caught by David Reuther. No other data available. Kept in deep freeze until Sept. 18, 1959.

SPECIES Sceloporus occidentalis TAG. NO. 254

CONTAINER NO. ____ SEX ♂ AGE ad.(?) TOE CLIP # ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 62

DATE 8 July 1959 SPEEDOMETER ____

LOCALITY Camp Emerson, 1 mi. from Idyllwild

COUNTY Riverside CALIF.

STANDARD TIME ____ CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 5200

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT yellow pine forest

CHASE ____ FEET

REMARKS: Caught by David Reuther. No other data available. Kept in deep freeze until Sept. 18, 1959.

SPECIES Sceloporus occidentalis TAG. NO. 255

CONTAINER NO. ___ SEX ♀ AGE ad.(?) TOE CLIP # ___

WEIGHT(gms) ___ SNOUT-VENT LENGTH(mm) 65

DATE 8 July 1959 SPEEDOMETER ___

LOCALITY Camp Emerson, 1 mi. from Idyllwild

COUNTY Riverside CALIF.

STANDARD TIME ___ CLOUDS(% overcast) ___

MOON ___ RELATIVE HUMIDITY(%) ___

WIND DIRECTION ___ ALTITUDE(ft.) 5200

WIND VELOCITY(mi/hr) ___ ROAD TEMP. ___ °C

AIR TEMP(30 in) ___ °C AIR TEMP(1 cm) ___ °C

SOIL SURFACE TEMP ___ °C CLOACAL TEMP ___ °C

ROCK SURFACE TEMP ___ °C SUBSTRATE TEMP ___ °C

HABITAT yellow pine forest

CHASE ___ FEET

REMARKS: caught by David Reuther. No other data available. Kept in deep freeze until Sept. 18, 1959.

SPECIES Sceloporus occidentalis TAG. NO. 256

CONTAINER NO. B40 SEX ♂ AGE imm TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 53

DATE 26 Sept. 1959 SPEEDOMETER —

LOCALITY UCR

COUNTY Riverside CALIF.

STANDARD TIME 1325 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft.) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 29.0 °C AIR TEMP(1 cm) 32.0 °C

SOIL SURFACE TEMP 43.8 °C CLOACAL TEMP 35.7 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT coastal sage scrub

CHASE 6 FEET

REMARKS: on woodpile — head only in sun.

SPECIES *Sceloporus occidentalis* TAG. NO. 257

CONTAINER NO. B47 SEX ♀ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 63

DATE 26 Sept. 1959 SPEEDOMETER —

LOCALITY UCR

COUNTY Riverside CALIF.

STANDARD TIME 1455 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft.) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 29.0 °C AIR TEMP(1 cm) 32.0 °C

SOIL SURFACE TEMP 43.8 °C CLOACAL TEMP 33.7 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT coastal sage scrub

CHASE 2 FEET

REMARKS: on brush in sun. Fell in water in pipe.

SPECIES Sceloporus occidentalis TAG. NO. 258

CONTAINER NO. B36 SEX ♀ AGE ad (?) TOE CLIP # 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 47

DATE 28 Sept. 1959 SPEEDOMETER —

LOCALITY UCR

COUNTY Riverside CALIF.

STANDARD TIME 1545 CLOUDS(% overcast) 100

MOON — RELATIVE HUMIDITY(%) 53

WIND DIRECTION N.W. ALTITUDE(ft.) 1200

WIND VELOCITY(mi/hr) 1-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 22.2 °C AIR TEMP(1 cm) 24.9 °C

SOIL SURFACE TEMP 34.0 °C CLOACAL TEMP 37.1 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT coastal sage scrub

CHASE 0 FEET

REMARKS: in sun on a log. Molting.

SPECIES Sceloporus occidentalis TAG. NO. 259

CONTAINER NO. B36 SEX ♂ AGE ad. TOE CLIP # 3

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 75

DATE 28 Sept. 1959 SPEEDOMETER —

LOCALITY UCR

COUNTY Riverside CALIF.

STANDARD TIME 1550 CLOUDS(% overcast) 100

MOON — RELATIVE HUMIDITY(%) 53

WIND DIRECTION N.W. ALTITUDE(ft.) 1200

WIND VELOCITY(mi/hr) 1-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 22.2 °C AIR TEMP(1 cm) 24.9 °C

SOIL SURFACE TEMP 34.0 °C CLOACAL TEMP 32.5 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT coastal sage scrub

CHASE 20 FEET

REMARKS: in sun on log in woodpile.

SPECIES Sceloporus occidentalis TAG. NO. 260

CONTAINER NO. B38 SEX ♀ AGE 9d. TOE CLIP # 4

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 66

DATE 28 Sept. 1959 SPEEDOMETER —

LOCALITY UCR

COUNTY Riverside CALIF.

STANDARD TIME 1558 CLOUDS(% overcast) 100

MOON — RELATIVE HUMIDITY(%) 53

WIND DIRECTION N.W. ALTITUDE(ft.) 1200

WIND VELOCITY(mi/hr) 1-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 22.2 °C AIR TEMP(1 cm) 24.9 °C

SOIL SURFACE TEMP 34.0 °C CLOACAL TEMP 24.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT coastal sage scrub

CHASE 2 FEET

REMARKS: under log in woodpile.

SPECIES *Sceloporus occidentalis* TAG. NO. 261

CONTAINER NO. B49 SEX ♂ AGE ad. TOE CLIP # 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 66

DATE Oct. 11, 1959 SPEEDOMETER 38242

LOCALITY 2 mi. S. of Phelan

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 0925 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 45

WIND DIRECTION 0 ALTITUDE(ft.) 4200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 25.6 °C AIR TEMP(1 cm) 29.0 °C

SOIL SURFACE TEMP 49.0 °C CLOACAL TEMP 35.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT Joshuatree woodland

CHASE 0 FEET

REMARKS: in shade on trunk of Joshua tree. Another adult was within 2 inches of the one that was captured.

SPECIES Sceloporus occidentalis TAG. NO. 262

CONTAINER NO. 859 SEX ♂ AGE ad. TOE CLIP # 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 74

DATE OCT 11 1959 SPEEDOMETER 38243

LOCALITY 2 mi. S. of Phelan

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 0940 CLOUDS(% overcast) 0

MOON 0 RELATIVE HUMIDITY(%) 45

WIND DIRECTION S. E. ALTITUDE(ft.) 4200

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 25.6 °C AIR TEMP(1 cm) 29.0 °C

SOIL SURFACE TEMP 49.0 °C CLOACAL TEMP 36.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT JOSHUA TREE WOODLAND

CHASE 0 FEET

REMARKS: in sun on fence post

SPECIES *Sceloporus occidentalis* TAG. NO. 263

CONTAINER NO. B47 SEX ♂ AGE ad. TOE CLIP # 3

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 79

DATE OCT 11 1959 SPEEDOMETER 38243

LOCALITY 2 mi. S. of Phelan

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1000 CLOUDS(% overcast) 0

MOON - RELATIVE HUMIDITY(%) 42

WIND DIRECTION S.E. ALTITUDE(ft.) 4200

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 25.6 °C AIR TEMP(1 cm) 29.0 °C

SOIL SURFACE TEMP 49.0 °C CLOACAL TEMP 34.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT JOSHUA TREE WOODLAND

CHASE 0 FEET

REMARKS: in sun on fence post

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 264

CONTAINER NO. 860 SEX ♀ AGE ad. TOE CLIP # 4

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 66

DATE OCT 11 1959 SPEEDOMETER 38283

LOCALITY 2 mi. S. of Phelan

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1007 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 41

WIND DIRECTION S.E. ALTITUDE(ft.) 4200

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 25.6 °C AIR TEMP(1 cm) 29.0 °C

SOIL SURFACE TEMP 49.0 °C CLOACAL TEMP 36.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT JOSHUA TREE WOODLAND

CHASE 6 FEET

REMARKS: in sun on power pole

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 265

CONTAINER NO. B25 SEX ♀ AGE ad. TOE CLIP # 5

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 72

DATE OCT 11 1959 SPEEDOMETER 38243

LOCALITY 1 mi. S. of Phelan

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1015 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 37

WIND DIRECTION N.E. ALTITUDE(ft.) 4200

WIND VELOCITY(mi/hr) 1-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 27.8 °C AIR TEMP(1 cm) 32.5 °C

SOIL SURFACE TEMP 39.2 °C CLOACAL TEMP 34.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT JOSHUA TREE WOODLAND

CHASE 3 FEET

REMARKS: in sun on power pole

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 266

CONTAINER NO. B25 SEX ♂ AGE ad. TOE CLIP # 6

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 65

DATE OCT 11 1959 SPEEDOMETER 38243

LOCALITY 1 mi. S. of Phelan

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1018 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 37

WIND DIRECTION N.E. ALTITUDE(ft.) 4200

WIND VELOCITY(mi/hr) 1-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) ~27.8 °C AIR TEMP(1 cm) 32.5 °C

SOIL SURFACE TEMP 39.2 °C CLOACAL TEMP 33.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT JOSHUA TREE WOODLAND

CHASE 3 FEET

REMARKS: in sun on Joshua tree stump

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 267

CONTAINER NO. 836 SEX ♀ AGE ad TOE CLIP # 7

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 74

DATE OCT 11 1959 SPEEDOMETER 38284

LOCALITY Phelan

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1045 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 34

WIND DIRECTION N.E. ALTITUDE(ft.) 4180

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 27.8 °C AIR TEMP(1 cm) 32.5 °C

SOIL SURFACE TEMP 39.2 °C CLOACAL TEMP 33.1 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT JOSHUA TREE WOODLAND

CHASE 0 FEET

REMARKS: in sun on power pole

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 268

CONTAINER NO. B57 SEX ♀ AGE ad. TOE CLIP # 8

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 62

DATE OCT 11 1959 SPEEDOMETER 38284

LOCALITY Phelan

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1055 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 34

WIND DIRECTION N.E. ALTITUDE(ft.) 4100

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 27.8 °C AIR TEMP(1 cm) 32.5 °C

SOIL SURFACE TEMP 39.2 °C CLOACAL TEMP 31.9 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT JOSHUA TREE WOODLAND

CHASE 6 FEET

REMARKS: in sun on Joshua Tree trunk

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 269

CONTAINER NO. B29 SEX ♂ AGE ad. TOE CLIP # 9

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 74

DATE OCT 11 1959 SPEEDOMETER 38247

LOCALITY 3 mi. W. of Phelan

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1112 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 34

WIND DIRECTION N.E. ALTITUDE(ft.) 4100

WIND VELOCITY(mi/hr) 1-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 27.8 °C AIR TEMP(1 cm) 32.5 °C

SOIL SURFACE TEMP 39.2 °C CLOACAL TEMP 31.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT JOSHUA TREE WOODLAND

CHASE 2 FEET

REMARKS: in sun on Joshua Tree trunk

SPECIES [illegible] TAG. NO. 270

CONTAINER NO. B32 SEX ♀ AGE ad TOE CLIP# 10

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 76

DATE OCT 11 1959 SPEEDOMETER 38248

LOCALITY 4 mi. N.W. of Phelan

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1130 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 33

WIND DIRECTION N.E. ALTITUDE(ft.) 4000

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 27.8 °C AIR TEMP(1 cm) 32.5 °C

SOIL SURFACE TEMP 39.2 °C CLOACAL TEMP 31.3 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT JOSHUA TREE WOODLAND

CHASE 10 FEET

REMARKS: in sun on Joshua tree trunk

SPECIES *Sceloporus occidentalis* TAG. NO. 271

CONTAINER NO. R47 SEX ♂ AGE ad. TOE CLIP # 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 72

DATE Mar. 14, 1960 SPEEDOMETER 20828

LOCALITY 4 mi. S.E. of Nuevo

COUNTY Riverside CALIF.

STANDARD TIME 1245 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 40

WIND DIRECTION S.W. ALTITUDE(ft.) 1650

WIND VELOCITY(mi/hr) 1-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 22.5 °C AIR TEMP(1 cm) 26.4 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 36.4 °C

ROCK SURFACE TEMP 39.8 °C SUBSTRATE TEMP _____ °C

HABITAT rock outcrop in coastal sage scrub

CHASE 0 FEET

REMARKS: in sun on top of rock

SPECIES *Sceloporus occidentalis* TAG. NO. 272

CONTAINER NO. R47 SEX ♂ AGE ad. TOE CLIP # 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 70

DATE Mar. 14, 1960 SPEEDOMETER 20828

LOCALITY 4 mi. S.E. of Nuevo

COUNTY Riverside CALIF.

STANDARD TIME 1305 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 40

WIND DIRECTION S.W. ALTITUDE(ft.) 1650

WIND VELOCITY(mi/hr) 1-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 22.5 °C AIR TEMP(1 cm) 26.4 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 27.7 * °C

ROCK SURFACE TEMP 39.8 °C SUBSTRATE TEMP _____ °C

HABITAT rock outcrop in coastal sage scrub

CHASE 4 FEET

REMARKS: in sun on top of rock, * It took us about 3 minutes to get him out of a rock crevice after he was noosed.

SPECIES *Sceloporus occidentalis* TAG. NO. 273

CONTAINER NO. R19 SEX ♂ AGE ad. TOE CLIP # 3

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 75

DATE Mar. 14, 1960 SPEEDOMETER 20834

LOCALITY 10 mi. S.E. of Nuevo

COUNTY Riverside CALIF.

STANDARD TIME 1340 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 35

WIND DIRECTION S.W. ALTITUDE(ft.) 2050

WIND VELOCITY(mi/hr) 1-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 23.4 °C AIR TEMP(1 cm) 26.5 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.2 °C

ROCK SURFACE TEMP 37.6 °C SUBSTRATE TEMP _____ °C

HABITAT Chaparral (rock outcrop)

CHASE 8 FEET

REMARKS: in sun on top of rock

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 274

CONTAINER NO. R19 SEX ♂ AGE Ad TOE CLIP# 8

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 78

DATE APR 3 1960 SPEEDOMETER _____

LOCALITY 4 mi N. W. Sunnymead

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1430 CLOUDS(% overcast) 5 (light)

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION — ALTITUDE(ft.) 2700

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 28.6 °C AIR TEMP(1 cm) — °C

SOIL SURFACE TEMP — °C CLOACAL TEMP 34.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT Chaparral

CHASE 0 FEET

REMARKS: In sun on rock face.

SPECIES _____ TAG. NO. 275

CONTAINER NO. Y8 SEX ♂ AGE Ad TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 80

DATE APR 2 1960 SPEEDOMETER _____

LOCALITY 3 mi N. Cedar Springs

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 0920 CLOUDS(% overcast) —

MOON _____ RELATIVE HUMIDITY(%) 35

WIND DIRECTION S.W. ALTITUDE(ft.) 2960

WIND VELOCITY(mi/hr) 12-15 ROAD TEMP. _____ °C

AIR TEMP(30 in) 21 °C AIR TEMP(1 cm) 23.2 °C

SOIL SURFACE TEMP 38.3 °C CLOACAL TEMP 33.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT Riparian

CHASE 6 FEET

REMARKS: In arm on log

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 276

CONTAINER NO. Y8 SEX ♀ AGE Ad TOE CLIP# 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 78

DATE APR 2 1960 SPEEDOMETER _____

LOCALITY 3 mi N. Cedar Springs

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 0925 CLOUDS(% overcast) 0

MOON ——— RELATIVE HUMIDITY(%) 35

WIND DIRECTION S.W. ALTITUDE(ft.) 2960

WIND VELOCITY(mi/hr) 12-15 ROAD TEMP. _____ °C

AIR TEMP(30 in) 21° °C AIR TEMP(1 cm) 23.2 °C

SOIL SURFACE TEMP 38.3 °C CLOACAL TEMP 35.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT Riparian

CHASE 0 FEET

REMARKS: In sun on cotton wood trunk (Populus fremontii)

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 277

CONTAINER NO. Y8 SEX ♂ AGE Ad TOE CLIP# 3

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 78

DATE APR 2 1960 SPEEDOMETER _____

LOCALITY 3 Mi N. Cedar Springs

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 0930 CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) 35

WIND DIRECTION S W ALTITUDE(ft.) 2960

WIND VELOCITY(mi/hr) 12-15 ROAD TEMP. _____ °C

AIR TEMP(30 in) 21 °C AIR TEMP(1 cm) 23.2 °C

SOIL SURFACE TEMP 38.3 °C CLOACAL TEMP 34.1 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT Riparian

CHASE 8 FEET

REMARKS: In sun on cottonwood trunk

SPECIES ~~CELOPORUS OCCIDENTALIS~~ TAG. NO. 278

CONTAINER NO. R4 SEX ♂ AGE ad TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 79

DATE Apr. 2, 1960 SPEEDOMETER 1133

LOCALITY 3 mi. N. of Cedar Springs

COUNTY San Bernardino CALIF.

STANDARD TIME 0935 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 35

WIND DIRECTION S. W. ALTITUDE(ft.) 2960

WIND VELOCITY(mi/hr) 12-15 ROAD TEMP. _____ °C

AIR TEMP(30 in) 20.5 °C AIR TEMP(1 cm) 23.2 °C

SOIL SURFACE TEMP 38.3 °C CLOACAL TEMP 32.2 °C

ROCK SURFACE TEMP 27.9 °C SUBSTRATE TEMP _____ °C

HABITAT Riparian

CHASE 0 FEET

REMARKS: in sun on rock at edge of stream

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 279

CONTAINER NO. Y8 SEX ♂ AGE Ad TOE CLIP# 4

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 78

DATE APR 2 1960 SPEEDOMETER _____

LOCALITY 3 Mi. N. Cedar Springs

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 0940 CLOUDS(% overcast) 0

MOON ——— RELATIVE HUMIDITY(%) 35

WIND DIRECTION SW ALTITUDE(ft.) 2960

WIND VELOCITY(mi/hr) 12-15 ROAD TEMP. _____ °C

AIR TEMP(30 in) 21 °C AIR TEMP(1 cm) 23.2 °C

SOIL SURFACE TEMP 38.3 °C CLOACAL TEMP 34.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT Riparian

CHASE 0 FEET

REMARKS: In sun on log

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 280

CONTAINER NO. Y9 SEX ♀ AGE Ad TOE CLIP# 5

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 72

DATE APR 2 1960 SPEEDOMETER _____

LOCALITY 3 mi N. Cedar Springs

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 0950 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 35

WIND DIRECTION S W ALTITUDE(ft.) 2950

WIND VELOCITY(mi/hr) 12-15 ROAD TEMP. _____ °C

AIR TEMP(30 in) 21 °C AIR TEMP(1 cm) 23.2 °C

SOIL SURFACE TEMP 38.3 °C CLOACAL TEMP 33.3 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT Riparian

CHASE 4 FEET

REMARKS: In sun on log

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 281

CONTAINER NO. Y9 SEX ♂ AGE Ad TOE CLIP# 6

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 78

DATE APR 2 1960 SPEEDOMETER _____

LOCALITY 3 M. N. Cedar Springs

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 0955 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 35

WIND DIRECTION SW ALTITUDE(ft.) 2950

WIND VELOCITY(mi/hr) 12-15 ROAD TEMP. _____ °C

AIR TEMP(30 in) 21 °C AIR TEMP(1 cm) 23.2 °C

SOIL SURFACE TEMP 38.3 °C CLOACAL TEMP 34.7 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP [redacted] °C

HABITAT Riparian

CHASE 10 FEET

REMARKS: In sun on log

SPECIES CELOPORUS OCCIDENTALIS TAG. NO. 282

CONTAINER NO. R4 SEX ♀ AGE ad. TOE CLIP# 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 74

DATE Apr. 2, 1960 SPEEDOMETER 1133

LOCALITY 3 mi. N. of Cedar Springs

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1005 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 35

WIND DIRECTION S. W. ALTITUDE(ft.) 2960

WIND VELOCITY(mi/hr) 12-15 ROAD TEMP. _____ °C

AIR TEMP(30 in) 28.2 °C AIR TEMP(1 cm) 23.4 °C

SOIL SURFACE TEMP 35.8 °C CLOACAL TEMP 35.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP 36.5 °C

HABITAT Riparian

CHASE 0 FEET

REMARKS: in sun on log

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 283

CONTAINER NO. R4 SEX ♂ AGE ad. TOE CLIP# 3

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 81

DATE Apr. 2, 1960 SPEEDOMETER 1133

LOCALITY 3 mi. N. of Cedar Springs

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1020 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 35

WIND DIRECTION S. W. ALTITUDE(ft.) 2960

WIND VELOCITY(mi/hr) 12-15 ROAD TEMP. _____ °C

AIR TEMP(30 in) 21.2 °C AIR TEMP(1 cm) 23.4 °C

SOIL SURFACE TEMP 35.8 °C CLOACAL TEMP 35.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT Riparian

CHASE 20 FEET

REMARKS: in sun on log

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 284

CONTAINER NO. Y9 SEX ♂ AGE Ad TOE CLIP# 7

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 82

DATE APR 2 1960 SPEEDOMETER _____

LOCALITY 3 Mi. N. Cedar Springs

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1025 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 35

WIND DIRECTION S W ALTITUDE(ft.) 2950

WIND VELOCITY(mi/hr) 12-15 ROAD TEMP. _____ °C

AIR TEMP(30 in) 23.5 °C AIR TEMP(1 cm) 26 °C

SOIL SURFACE TEMP 36.9 °C CLOACAL TEMP 35.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT Riparian

CHASE 3 FEET

REMARKS: In sun on log

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 285

CONTAINER NO. B38 SEX ♀ AGE Imm TOE CLIP# 8

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 54

DATE APR 2 1960 SPEEDOMETER _____

LOCALITY 3 mi N. Cedar Springs

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1030 CLOUDS(% overcast) 0

MOON ——— RELATIVE HUMIDITY(%) 35

WIND DIRECTION S.W. ALTITUDE(ft.) 2950

WIND VELOCITY(mi/hr) 12-15 ROAD TEMP. _____ °C

AIR TEMP(30 in) 23.5 °C AIR TEMP(1 cm) 26 °C

SOIL SURFACE TEMP 36.9 °C CLOACAL TEMP 34.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT Riparian

CHASE 4 FEET

REMARKS: In sun on log.

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 286

CONTAINER NO. R 11 SEX ♂ AGE Ad TOE CLIP# 9

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 80

DATE APR 2 1960 SPEEDOMETER _____

LOCALITY 3 mi N. Cedar Springs

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1040 CLOUDS(% overcast) 0

MOON ——— RELATIVE HUMIDITY(%) 35

WIND DIRECTION S W ALTITUDE(ft.) 2950

WIND VELOCITY(mi/hr) 12-15 ROAD TEMP. _____ °C

AIR TEMP(30 in) 23.5 °C AIR TEMP(1 cm) 26 °C

SOIL SURFACE TEMP 36.9 °C CLOACAL TEMP 35.5 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT Riparian

CHASE 0 FEET

REMARKS: In sun on log -
Caught with ♀. Probably a pair.

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 287

CONTAINER NO. R11 SEX ♀ AGE Ad TOE CLIP# 10

WEIGHT(gms) ~~APR 2 1960~~ SNOUT-VENT LENGTH(mm) 72

DATE APR 2 1960 SPEEDOMETER

LOCALITY 3 Mi. N. of Cedar Springs

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1045 CLOUDS(% overcast) 0

MOON ——— RELATIVE HUMIDITY(%) 35

WIND DIRECTION S.W. ALTITUDE(ft.) 2950

WIND VELOCITY(mi/hr) 12-15 ROAD TEMP. °C

AIR TEMP(30 in) 23.5 °C AIR TEMP(1 cm) 26 °C

SOIL SURFACE TEMP 36.9 °C CLOACAL TEMP 33.1 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT Riparian

CHASE 5 FEET

REMARKS: In sun on log. Caught with male - Probably a pair.

SPECIES ~~CELOPORUS OCCIDENTALIS~~ TAG. NO. 288

CONTAINER NO. R11 SEX ♂ AGE Ad TOE CLIP# 11

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 81

DATE APR 2 1960 SPEEDOMETER _____

LOCALITY 3 Mi N. Cedar Springs

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1050 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 35

WIND DIRECTION S.W. ALTITUDE(ft.) 2950

WIND VELOCITY(mi/hr) 12-15 ROAD TEMP. _____ °C

AIR TEMP(30 in) 23.5 °C AIR TEMP(1 cm) 26 °C

SOIL SURFACE TEMP 36.9 °C CLOACAL TEMP 30.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT Riparian

CHASE 0 FEET

REMARKS: Sitting in broken sun near hole in trunk of Cottonwood tree (Populus fremontii) Caught with ♀. One of a pair.

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 289

CONTAINER NO. R11 SEX ♀ AGE Ad TOE CLIP# 12

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 73

DATE APR 2 1960 SPEEDOMETER _____

LOCALITY 3 Mi. N. Cedar Springs

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1052 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 35

WIND DIRECTION S. W. ALTITUDE(ft.) 2950

WIND VELOCITY(mi/hr) 12-15 ROAD TEMP. _____ °C

AIR TEMP(30 in) 23.5 °C AIR TEMP(1 cm) 26 °C

SOIL SURFACE TEMP 36.9 °C CLOACAL TEMP 28.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT Riparian

CHASE 5 FEET

REMARKS: One of a pair - ♂ was sitting near hole in tree trunk, ♀ came out and nipped him on the cheek & then ran back into hole. Male never moved. After ♂ was caught ♀ came out of hole & ran around tree.

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 290

CONTAINER NO. B53 SEX ♂ AGE imm TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 53

DATE April 2, 1960 SPEEDOMETER 1133

LOCALITY 3 mi. N. of Cedar Springs

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1140 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 35

WIND DIRECTION S.W. ALTITUDE(ft.) 2960

WIND VELOCITY(mi/hr) 12-15 ROAD TEMP. _____ °C

AIR TEMP(30 in) 21.2 °C AIR TEMP(1 cm) 23.4 °C

SOIL SURFACE TEMP 35.8 °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT Chaparral

CHASE 0 FEET

REMARKS: in shade under a bush.

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 291

CONTAINER NO. B53 SEX ♂ AGE ad TOE CLIP# 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 70

DATE Apr. 2, 1960 SPEEDOMETER 1133

LOCALITY 3 mi. N. of Cedar Springs

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1140 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 35

WIND DIRECTION S.W. ALTITUDE(ft.) 2960

WIND VELOCITY(mi/hr) 8-10 ROAD TEMP. _____ °C

AIR TEMP(30 in) 21.2 °C AIR TEMP(1 cm) 23.4 °C

SOIL SURFACE TEMP 35.8 °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT Chaparral

CHASE 0 FEET

REMARKS: in sun on a rock

292

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. [redacted]

CONTAINER NO. B59 SEX ♂ AGE Ad TOE CLIP# 13

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 80

DATE APR 2 1960 SPEEDOMETER _____

LOCALITY 3 mi N. Cedar Springs

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1200 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 35

WIND DIRECTION S. W. ALTITUDE(ft.) 2950

WIND VELOCITY(mi/hr) 12-15 ROAD TEMP. _____ °C

AIR TEMP(30 in) 22 °C AIR TEMP(1 cm) 26.5 °C

SOIL SURFACE TEMP 39.1 °C CLOACAL TEMP 35.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT Riparian

CHASE 0 FEET

REMARKS: Sitting in broken sun

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 293

CONTAINER NO. R47 SEX ♀ AGE Ad TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 65

DATE APR 2 1960 SPEEDOMETER _____

LOCALITY 3 mi N. Cedar Springs

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1205 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 35

WIND DIRECTION S. W. ALTITUDE(ft.) 2950

WIND VELOCITY(mi/hr) 12-15 ROAD TEMP. _____ °C

AIR TEMP(30 in) 22 °C AIR TEMP(1 cm) 26.5 °C

SOIL SURFACE TEMP 39.1 °C CLOACAL TEMP — °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT Riparian

CHASE 2 FEET

REMARKS: In sun

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 294

CONTAINER NO. B21 SEX ♂ AGE ad TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 78

DATE APR 2 1960 SPEEDOMETER 1133

LOCALITY 3 mi. N. of Cedar Springs

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1210 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 35

WIND DIRECTION S.W. ALTITUDE(ft.) 2960

WIND VELOCITY(mi/hr) 8-10 ROAD TEMP. _____ °C

AIR TEMP(30 in) 22.0 °C AIR TEMP(1 cm) 26.5 °C

SOIL SURFACE TEMP 39.1 °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT Riparian

CHASE 0 FEET

REMARKS: in sun on top of fence post

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 295

CONTAINER NO. B21 SEX ♀ AGE ad. TOE CLIP# 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 75

APR 2 1960

DATE _____ SPEEDOMETER 1133

LOCALITY 3 mi. N. of Cedar Springs

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1210 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 35

WIND DIRECTION S. W. ALTITUDE(ft.) 2960

WIND VELOCITY(mi/hr) 8-10 ROAD TEMP. _____ °C

AIR TEMP(30 in) 22.0 °C AIR TEMP(1 cm) 26.5 °C

SOIL SURFACE TEMP 39.1 °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT Chaparral

CHASE 0 FEET

REMARKS: in sun on rock

SPECIES ~~SCELOPORUS OCCIDENTALIS~~ TAG. NO. 296

CONTAINER NO. B60 SEX ♀ AGE ad. TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 72

DATE ~~APRIL~~ 1980 SPEEDOMETER 1133

LOCALITY 3 mi. N. of Cedar Springs

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1220 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 35

WIND DIRECTION S. W. ALTITUDE(ft.) 2960

WIND VELOCITY(mi/hr) 8-10 ROAD TEMP. _____ °C

AIR TEMP(30 in) 22.0 °C AIR TEMP(1 cm) 26.5 °C

SOIL SURFACE TEMP 39.1 °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT Riparian

CHASE 5' FEET

REMARKS: in tree

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. #297

CONTAINER NO. B60 SEX ♂ AGE Ad TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 74

DATE APR 2 1960 SPEEDOMETER _____

LOCALITY 8 mi E. Phelan

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1520 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) ——

WIND DIRECTION N.E. ALTITUDE(ft.) 3900

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 22 °C AIR TEMP(1 cm) 25.2 °C

SOIL SURFACE TEMP 42.4 °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

JOSHUA TREE WOODPILE

HABITAT _____

CHASE 0 FEET

REMARKS: sitting in sun on power pole

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 298

CONTAINER NO. R8 SEX ♀ AGE Ad TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 74

DATE APR 2 1960 SPEEDOMETER _____

LOCALITY 1 mi E. Phelan

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1545 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N. E. ALTITUDE(ft.) 3950

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 22 °C AIR TEMP(1 cm) 25.2 °C

SOIL SURFACE TEMP 42.4 °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT JOSHUA TREE WOODLAND

CHASE 1 FEET

REMARKS: In sun on Joshua tree limb -

Another ♀ caught 10' away on same tree

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 299

CONTAINER NO. R8 SEX ♀ AGE Ad TOE CLIP# 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 74

DATE APR 2 1960 SPEEDOMETER _____

LOCALITY 1 mi E. of Phelan

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1550 CLOUDS(% overcast) 0

MOON ——— RELATIVE HUMIDITY(%) ———

WIND DIRECTION N.E. ALTITUDE(ft.) 3950

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 22 °C AIR TEMP(1 cm) 25.2 °C

SOIL SURFACE TEMP 42.4 °C CLOACAL TEMP 31.3 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT JOSHUA TREE WOODLAND

CHASE 2 FEET

REMARKS: In sun among spines of Joshua tree trunk - Another ♀ caught 10' away in same tree.

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 300

CONTAINER NO. B8 SEX ♂ AGE Ad TOE CLIP# 3

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 68

DATE APR 2 1960 SPEEDOMETER _____

LOCALITY 1 mi E. Phelan

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1605 CLOUDS(% overcast) 0

MOON ——— RELATIVE HUMIDITY(%) ———

WIND DIRECTION N. E. ALTITUDE(ft.) 3950

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 22 °C AIR TEMP(1 cm) 25.2 °C

SOIL SURFACE TEMP 42.4 °C CLOACAL TEMP 34.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT JOSHUA TREE WOODLAND

CHASE 0 FEET

REMARKS: In sun on power pole.

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 301

CONTAINER NO. R19 SEX ♂ AGE Ad TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 66

DATE APR 3 1960 SPEEDOMETER _____

LOCALITY 1 mi So UCR

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1210 CLOUDS(% overcast) 5 (light)

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION — ALTITUDE(ft.) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. —— °C

AIR TEMP(30 in) ~30 °C AIR TEMP(1 cm) —— °C

SOIL SURFACE TEMP — °C CLOACAL TEMP —— °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT Coastal Sage Scrub

CHASE 0 FEET

REMARKS: In shade on post.

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO 302

CONTAINER NO. R19 SEX ♂ AGE Ad TOE CLIP# 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 75

DATE APR 3 1960 SPEEDOMETER _____

LOCALITY 4 mi S. U C R

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1240 CLOUDS(% overcast) 5 (light)

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION — ALTITUDE(ft.) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) ~30 °C AIR TEMP(1 cm) — °C

SOIL SURFACE TEMP — °C CLOACAL TEMP — °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT Rose hedge bordering Orange grove in coastal sage scrub.

CHASE 0 FEET

REMARKS: In shade on clod at base of palm tree.

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 303

CONTAINER NO. R 19 SEX ♂ AGE Ad TOE CLIP# 3

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 73

DATE APR 3 1960 SPEEDOMETER _____

LOCALITY 1 mi N. Sunnymead

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1305 CLOUDS(% overcast) 5 (light)

MOON _____ RELATIVE HUMIDITY(%) —

WIND DIRECTION — ALTITUDE(ft.) 1500

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 29 °C AIR TEMP(1 cm) — °C

SOIL SURFACE TEMP — °C CLOACAL TEMP 35.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT Coastal Sage Scrub

CHASE 20 FEET

REMARKS: In broken sun on roadside embankment.

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 304

CONTAINER NO. R19 SEX ♂ AGE Ad TOE CLIP# 4

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 77

DATE APR 3 1960 SPEEDOMETER _____

LOCALITY 3 mi N.W Sunnymead

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1325 CLOUDS(% overcast) 5 (light)

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION — ALTITUDE(ft.) 1800

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 29 °C AIR TEMP(1 cm) — °C

SOIL SURFACE TEMP — °C CLOACAL TEMP 34.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT Coastal sage scrub

CHASE 3 FEET

REMARKS: Sun on fence post.

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 305

CONTAINER NO. B47 SEX ♂ AGE Ad ?. TOE CLIP# 5

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 56

DATE APR 3 1960 SPEEDOMETER _____

LOCALITY 3 mi N.W. Sunnymead

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1325 CLOUDS(% overcast) 5 (light)

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION — ALTITUDE(ft.) 1800

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 29 °C AIR TEMP(1 cm) — °C

SOIL SURFACE TEMP — °C CLOACAL TEMP 35.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT Coastal sage scrub

CHASE 0 FEET

REMARKS: In shade on fencepost

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 306

CONTAINER NO. R19 SEX ♂ AGE Ad TOE CLIP# 6

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 74

DATE APR 3 1960 SPEEDOMETER _____

LOCALITY 3 mi N.W. Sunnymead

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1335 CLOUDS(% overcast) 5 (light)

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION — ALTITUDE(ft.) 2000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 29 °C AIR TEMP(1 cm) — °C

SOIL SURFACE TEMP — °C CLOACAL TEMP 35.9 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT Chaparral

CHASE 0 FEET

REMARKS: Sun on fencepost

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 307

CONTAINER NO R19 SEX ♀ AGE Ad TOE CLIP# 7

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 70

DATE APR 3 1960 SPEEDOMETER _____

LOCALITY 4 mi N.W. Sunnymead

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1405 CLOUDS(% overcast) 5 (light)

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION — ALTITUDE(ft.) 2200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 28.6 °C AIR TEMP(1 cm) — °C

SOIL SURFACE TEMP — °C CLOACAL TEMP 34.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT Chaparral

CHASE 2 FEET

REMARKS: One of a pair seen sitting within 3" of each other in sun on rock. ♂ not caught.

SPECIES _____ TAG. NO. 308

CONTAINER NO. — SEX ♀ AGE ad. TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 82

DATE May 28, 1960 SPEEDOMETER _____

LOCALITY Forest Home

COUNTY San Bernardino CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) 5000

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____°C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____°C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____°C SUBSTRATE TEMP _____ °C

HABITAT yellow pine forest

CHASE _____ FEET

REMARKS: _____

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 309

CONTAINER NO. ____ SEX ♀ AGE ad ? TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 62

DATE May 28, 1960 SPEEDOMETER _____

LOCALITY Forest Home

COUNTY San Bernardino CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) 5000

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____°C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____°C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____°C SUBSTRATE TEMP _____ °C

HABITAT yellow pine forest

CHASE _____ FEET

REMARKS: _____

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 310

CONTAINER NO. ____ SEX ♂ AGE ad. TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 75

DATE May 28, 1960 SPEEDOMETER _____

LOCALITY Forest Home

COUNTY San Bernardino CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) —

WIND DIRECTION _____ ALTITUDE(ft.) 5000

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT yellow pine forest

CHASE _____ FEET

REMARKS: _____

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 311

CONTAINER NO. ___ SEX ♂ AGE ad. TOE CLIP # ___

WEIGHT(gms) ___ SNOUT-VENT LENGTH(mm) 81

DATE May 28, 1960 SPEEDOMETER ___

LOCALITY Forest Home

COUNTY San Bernardino CALIF.

STANDARD TIME ___ CLOUDS(% overcast) ___

MOON ___ RELATIVE HUMIDITY(%) ___

WIND DIRECTION ___ ALTITUDE(ft.) 5000

WIND VELOCITY(mi/hr) ___ ROAD TEMP. ___ °C

AIR TEMP(30 in) ___ °C AIR TEMP(1 cm) ___ °C

SOIL SURFACE TEMP ___ °C CLOACAL TEMP ___ °C

ROCK SURFACE TEMP ___ °C SUBSTRATE TEMP ___ °C

HABITAT yellow pine forest

CHASE ___ FEET

REMARKS: ___

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 312

CONTAINER NO. ____ SEX ♀ AGE ad. TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 76

DATE May 28, 1960 SPEEDOMETER _____

LOCALITY Forest Home

COUNTY San Bernardino CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) 5000

WIND VELOCITY(mi/hr) ____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____°C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____°C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____°C SUBSTRATE TEMP _____ °C

HABITAT yellow pine forest

CHASE _____ FEET

REMARKS: Left oviduct – 6 eggs: Right oviduct – 5 eggs:

12.3 X 8.1 mm.	11.9 x 8.3 mm.
12.8 X 8.4 "	13.1 X 8.0 "
12.5 x 7.8 "	12.2 X 8.4 "
11.6 X 8.1 "	11.9 x 8.0 "
12.0 X 8.1 "	11.6 x 8.6 "
13.1 x 8.4 "	

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 313

CONTAINER NO. ____ SEX ♂ AGE ad ? TOE CLIP # ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 62

DATE June 1, 1960 SPEEDOMETER ____

LOCALITY Chino

COUNTY San Bernardino CALIF.

STANDARD TIME ____ CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) —

WIND DIRECTION ____ ALTITUDE(ft.) 800

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT ●

CHASE ____ FEET

REMARKS: caught in a church

314

SPECIES Sceloporus occidentalis TAG. NO. [redacted]

CONTAINER NO. R39 SEX ♀ AGE ad TOE CLIP# 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 73

DATE July 16, 1960 SPEEDOMETER _____

LOCALITY 3 mi. N. of Cedar Springs

COUNTY San Bernardino CALIF.

STANDARD TIME 1155 CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) _____

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) 37.0 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT riparian

CHASE _____ FEET

REMARKS: in shade in cottonwood

E15

SPECIES *Sceloporus occidentalis* TAG. NO. [redacted]

CONTAINER NO. R39 SEX ♂ AGE ad TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 78

DATE July 16, 1960 SPEEDOMETER _____

LOCALITY 3 mi. N. of Cedar Springs

COUNTY San Bernardino CALIF.

STANDARD TIME 1200 CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) _____

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) 37.0 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT riparian

CHASE _____ FEET

REMARKS: in shade in ~~willow~~ cottonwood

SPECIES Sceloporus occidentalis TAG. NO. 316

CONTAINER NO. Y7 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 81

DATE July 16, 1960 SPEEDOMETER _____

LOCALITY Blue Ridge,

COUNTY Los Angeles CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) ~ 8000

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT coniferous forest

CHASE _____ FEET

REMARKS: _____

SPECIES Sceloporus occidentalis TAG. NO. 317

CONTAINER NO. B35 SEX ♀ AGE ad. TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 59

DATE July 20, 1960 SPEEDOMETER _____

LOCALITY Santa Barbara

COUNTY Santa Barbara CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) 400

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT _____

CHASE _____ FEET

REMARKS: No other data available.

SPECIES *Sceloporus occidentalis* TAG. NO. 318

CONTAINER NO. B59 SEX ♂ AGE ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 67

DATE July 26, 1960 SPEEDOMETER 7772

LOCALITY Buckhorn Canyon, near Cuyama River

COUNTY Santa Barbara CALIF.

STANDARD TIME 1315 CLOUDS(% overcast) 5

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION SW ALTITUDE(ft.) ~2000

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 32.0 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT oak woodland

CHASE 3 FEET

REMARKS: on trunk of *Quercus agrifolia*
in shade

SPECIES *Sceloporus occidentalis* TAG. NO. 319

CONTAINER NO. B59 SEX ♀ AGE ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 68

DATE July 26, 1960 SPEEDOMETER 7772

LOCALITY Buckhorn Canyon, near Cuyama River

COUNTY Santa Barbara CALIF.

STANDARD TIME 1320 CLOUDS(% overcast) 5

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) ~ 2000

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 32.0 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT oak woodland

CHASE 0 FEET

REMARKS: in shade on trunk of Quercus agrifolia.

SPECIES Sceloporus occidentalis TAG. NO. 320

CONTAINER NO. 856 SEX ♀ AGE ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 68

DATE July 26, 1960 SPEEDOMETER 7776

LOCALITY Buckhorn Canyon, near Cuyama River

COUNTY Santa Barbara CALIF.

STANDARD TIME 1445 CLOUDS(% overcast) 5

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) _____

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 30.0 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT Oak woodland

CHASE 0 FEET

REMARKS: on trunk of Quercus agrifolia in sun.

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 321

CONTAINER NO. ___ SEX ♀ AGE ad. TOE CLIP # ___

WEIGHT(gms) ___ SNOUT-VENT LENGTH(mm) 71

DATE SEP 25 1960 SPEEDOMETER ___

LOCALITY 4545 BRIGGS AVE., LA CRESCENTA

COUNTY LOS ANGELES CALIF.

STANDARD TIME ___ CLOUDS(% overcast) ___

MOON ___ RELATIVE HUMIDITY(%) ___

WIND DIRECTION ___ ALTITUDE(ft.) 1563

WIND VELOCITY(mi/hr) ___ ROAD TEMP. ___ °C

AIR TEMP(30 in) ___ °C AIR TEMP(1 cm) ___ °C

SOIL SURFACE TEMP ___ °C CLOACAL TEMP ___ °C

ROCK SURFACE TEMP ___ °C SUBSTRATE TEMP ___ °C

HABITAT ROCKY HILLSIDE

CHASE ___ FEET

REMARKS: ___

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 322

CONTAINER NO. ____ SEX ♂ AGE ad. TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 74

DATE SEP 25 1960 SPEEDOMETER _____

LOCALITY 4845 BRIGGS AVE., LA CRESCENTA.

COUNTY LOS ANGELES CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) 1563

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT ROCKY HILLSIDE

CHASE _____ FEET

REMARKS: _____

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 323

CONTAINER NO. — SEX ♂ AGE ad. TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 73

DATE Nov. 1, 1960 SPEEDOMETER _____

LOCALITY Rubidoux (along Santa Ana River)

COUNTY Riverside CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) 800

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT rocky stream bank

CHASE many FEET

REMARKS: Brought in by Dave Young. No other data available.

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 324

CONTAINER NO. — SEX ♀ AGE ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 74

DATE Nov. 24, 1960 SPEEDOMETER _____

LOCALITY 9 mi. S. of Modesto (Eells Ranch, on Crows Landing Highway)

COUNTY Stanislaus CALIF.

STANDARD TIME 1215 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft.) 100

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 15.6 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT Ranch yard

CHASE 0 FEET

REMARKS: Uncovered hibernating spot beneath dog house.

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 325

CONTAINER NO. — SEX ♀ AGE ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 73

DATE Nov. 24, 1960 SPEEDOMETER _____

LOCALITY 9 mi. S. of Modesto

COUNTY Stanislaus CALIF.

STANDARD TIME 1215 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft.) 100

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 15.6 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT Ranch yard

CHASE 0 FEET

REMARKS: Uncovered hibernating spot beneath dog house.

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 326

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 75

DATE Nov. 24, 1960 SPEEDOMETER _____

LOCALITY 9 mi. S. of Modesto

COUNTY Stanislaus CALIF.

STANDARD TIME 1215 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft.) 100

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 15.6 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT Ranch yard

CHASE 0 FEET

REMARKS: Uncovered hibernating spot beneath dog house.

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 327

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 73

DATE Nov. 24, 1960 SPEEDOMETER _____

LOCALITY 9 mi. S. of Modesto

COUNTY Stanislaus CALIF.

STANDARD TIME 1215 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft.) 100

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 15.6 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT Ranch yard

CHASE 0 FEET

REMARKS: Uncovered hibernating spot beneath dog house.

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 328

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 75

DATE Nov. 24, 1960 SPEEDOMETER _____

LOCALITY 9 mi. S. of Modesto (Eells Ranch, on Crows Landing Hiway)

COUNTY Stanislaus CALIF.

STANDARD TIME 1215 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft.) 100

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 15.6 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT Ranch yard

CHASE 0 FEET

REMARKS: Uncovered hibernating spot beneath dog house.

SPECIES Sceloporus occidentalis TAG. NO. 329

CONTAINER NO. R6 SEX ♂ AGE ad. TOE CLIP # _____

WEIGHT(gms) — SNOUT-VENT LENGTH(mm) 66

DATE 1/18/61 SPEEDOMETER —

LOCALITY UCR CAMPUS

COUNTY Riverside CALIF.

STANDARD TIME 1135 CLOUDS(% overcast) 25

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION S.E. ALTITUDE(ft.) 1200

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 26.4 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT rock outcrop in coastal sage scrub

CHASE 8 FEET

REMARKS: In sun on a rock.

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 330

CONTAINER NO. ____ SEX ♂ AGE ad. TOE CLIP# 2

WEIGHT(gms) 17.4 SNOUT-VENT LENGTH(mm) 73

DATE FEB 12 1961 SPEEDOMETER ____

LOCALITY 1 mi. W. of U.S. 395 on Alessandro

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 2 - 3 P.M. CLOUDS(% overcast) 0

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft) 1600

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) 20.0 °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT rock in coastal sage scrub

CHASE ____ FEET

REMARKS: caught by Dick Sather

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 331

CONTAINER NO. ____ SEX ♂ AGE ad. TOE CLIP# 3

WEIGHT(gms) 18.0 SNOUT-VENT LENGTH(mm) 82

DATE FEB 12 1961 SPEEDOMETER ____

LOCALITY 1 mi. W. of U.S. 395 on Alessandro

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1400 - 1500 CLOUDS(% overcast) 0

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft) 1600

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) 20.0 °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT rock in coastal sage scrub

CHASE ____ FEET

REMARKS: caught by Dick Sather.

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 332

CONTAINER NO. R4 SEX ♂ AGE ad. TOE CLIP# 1

WEIGHT(gms) 16.3 SNOUT-VENT LENGTH(mm) 78

DATE FEB 12 1961 SPEEDOMETER

LOCALITY 3 mi. N.W. of Sunnymead

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1245 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 1950

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT rock in coastal sage scrub

CHASE FEET

REMARKS: caught by Dick Sather

SPECIES _____ TAG NO. 333

CONTAINER NO. _____ SEX ♂ AGE ad. TOE CLIP# 5

WEIGHT(gms) 18.0 SNOUT-VENT LENGTH(mm) 73

DATE _____ SPEEDOMETER _____

LOCALITY 1 mi. W. of U.S. 395 on Allessandro

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1400-1500 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 1600

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) 20.0 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT rock in coastal sage scrub

CHASE _____ FEET

REMARKS: caught by Dick Sather.

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 334

CONTAINER NO. ____ SEX ♂ AGE ad. TOE CLIP# 7

WEIGHT(gms) 17.6 SNOUT-VENT LENGTH(mm) 80

DATE FEB 12 1961 SPEEDOMETER ____

LOCALITY 1 mi. W. of U.S. 395 on Alessandro

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1400 – 1500 CLOUDS(% overcast) 0

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft) 1600

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) 20.0 °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT rock in coastal sage scrub

CHASE ____ FEET

REMARKS: caught by Dick Sather.

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 335

CONTAINER NO. ____ SEX ♂ AGE ad. TOE CLIP# 8

WEIGHT(gms) 19.0 SNOUT-VENT LENGTH(mm) 78

DATE FEB 12 1961 SPEEDOMETER ____

LOCALITY 1 mi. W. of U.S. 395 on Alessandro

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1400 – 1500 CLOUDS(% overcast) 0

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft) 1600

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) 20.0 °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT rock in coastal sage scrub

CHASE ____ FEET

REMARKS: caught by Dick Sather

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 336

CONTAINER NO. ____ SEX ♀ AGE ad ? TOE CLIP# 9

WEIGHT(gms) 5.1 SNOUT-VENT LENGTH(mm) 52

DATE FEB 12 1961 SPEEDOMETER ____

LOCALITY 1 mi. W. of U.S. 395 on Alessandro

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1400 – 1500 CLOUDS(% overcast) 0

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft) 1600

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) 20.0 °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT rock in coastal sage scrub

CHASE ____ FEET

REMARKS: caught by Dick Sather.

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 337

CONTAINER NO. _____ SEX ♂ AGE ad. TOE CLIP# 4

WEIGHT(gms) 23.9 (2/16/61) SNOUT-VENT LENGTH(mm) 88

DATE Oct. 1960 SPEEDOMETER _____

LOCALITY Canyon Crest

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 1035

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT rock in stream bed (?)

CHASE _____ FEET

REMARKS: collected by David Young.

Autopsied 2/17/61.

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 338

CONTAINER NO. ____ SEX ♂ AGE ad. TOE CLIP# 10

WEIGHT(gms) 12.1 SNOUT-VENT LENGTH(mm) 68

DATE Oct. 1960 SPEEDOMETER ____

LOCALITY Rubidoux

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME ____ CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft) 780

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT bank of riverbed

CHASE ____ FEET

REMARKS: collected by David Young

Autopsied 2/17/61.

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 339

CONTAINER NO. ____ SEX ♂ AGE ad? TOE CLIP# 11

WEIGHT(gms) 5.3 SNOUT-VENT LENGTH(mm) 54

DATE Oct. 1960 SPEEDOMETER ____

LOCALITY Victoria Ave, Riverside

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME ____ CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft) 900

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT drainage ditch fence in orange grove

CHASE ____ FEET

REMARKS: caught by David Young

Autopsied 2/17/61.

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 340

CONTAINER NO. ____ SEX ♀ AGE ad? TOE CLIP# 12

WEIGHT(gms) 4.9 SNOUT-VENT LENGTH(mm) 58

DATE Oct. 1960 SPEEDOMETER ____

LOCALITY Victoria Ave., Riverside

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME ____ CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft) 900

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT drainage ditch fence in orange grove

CHASE ____ FEET

REMARKS: caught by David Young

Autopsied 2/17/61.

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 341

CONTAINER NO. ____ SEX ♂ AGE ad. TOE CLIP# 13

WEIGHT(gms) 9.1 SNOUT-VENT LENGTH(mm) 65

DATE Oct. 1960 SPEEDOMETER ____

LOCALITY Victoria Ave., Riverside

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME ____ CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft) 900

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT drainage ditch fence in orange grove

CHASE ____ FEET

REMARKS: caught by David Young.

Autopsied 2/17/61.

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 342

CONTAINER NO. ____ SEX ♀ AGE ad? TOE CLIP# 14

WEIGHT(gms) 5.7 SNOUT-VENT LENGTH(mm) 55

DATE Oct. 1960 SPEEDOMETER ____

LOCALITY Victoria Ave., Riverside

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME ____ CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft) 900

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT drainage ditch fence in orange grove

CHASE ____ FEET

REMARKS: caught by David Young

Autopsied 2/17/61.

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 343

CONTAINER NO. ____ SEX ♂ AGE ad ? TOE CLIP# 15

WEIGHT(gms) 7.5 SNOUT-VENT LENGTH(mm) 59

DATE Oct. 1960 SPEEDOMETER ____

LOCALITY Victoria Ave., Riverside

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME ____ CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft) 900

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT drainage ditch fence in orange grove

CHASE ____ FEET

REMARKS: caught by David Young.
Autopsied 2/17/61.

SPECIES *Sceloporus occidentalis* TAG NO. *344*

CONTAINER NO. ____ SEX *♂* AGE *ad.* TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) *67*

DATE *Feb. 18, 1961* SPEEDOMETER ____

LOCALITY *1 mi. W. of Highway 395 at Alessandro*

COUNTY *Riverside* CALIFORNIA

STANDARD TIME *1400 - 1500* CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft) *1600*

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT *rock in coastal sage scrub*

CHASE ____ FEET

REMARKS: *caught by Dick Sather*

SPECIES *Sceloporus occidentalis* TAG NO. *345*

CONTAINER NO. ____ SEX *♂* AGE *ad.* TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) *81*

DATE *Feb. 18, 1961* SPEEDOMETER ____

LOCALITY *1 mi. W. of Highway 395 at Alessandro*

COUNTY *Riverside* CALIFORNIA

STANDARD TIME *1400-1500* CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft) *1600*

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT *rock in coastal sage scrub*

CHASE ____ FEET

REMARKS: *caught by Dick Sather*

Full breeding colors.

SPECIES Sceloporus occidentalis TAG NO. 346

CONTAINER NO. ____ SEX ♀ AGE ad? TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 49

DATE Feb. 18, 1961 SPEEDOMETER ____

LOCALITY 1 mi. W. of Highway 395 at Alessandro

COUNTY Riverside CALIFORNIA

STANDARD TIME 1400 - 1500 CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft) 1600

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT rock in coastal sage scrub

CHASE ____ FEET

REMARKS: caught by Dick Sather

SPECIES Sceloporus occidentalis TAG NO. 347

CONTAINER NO. R 1 SEX ♂ AGE ad? TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 54

DATE Feb. 21, 1961 SPEEDOMETER

LOCALITY UCR campus

COUNTY Riverside CALIFORNIA

STANDARD TIME 1040 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION N ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 8-10 ROAD TEMP. °C

AIR TEMP(30 in) 23.6 °C AIR TEMP(1 cm) 23.6 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 31.8 °C

ROCK SURFACE TEMP 29.0 °C SUBSTRATE TEMP °C

HABITAT rock in coastal sage scrub

CHASE 4 FEET

REMARKS: in sun on a rock

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 348

CONTAINER NO. _____ SEX ♂ AGE ad TOE CLIP# 39

WEIGHT(gms) 14.5 SNOUT-VENT LENGTH(mm) 75

DATE FRI 25 [illegible] SPEEDOMETER _____

LOCALITY UCR campus

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1000 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) 1200

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT coastal sage scrub

CHASE _____ FEET

REMARKS: caught by Dave Young

SPECIES SCELOTORUS OCCIDENTALIS TAG. NO. 349

CONTAINER NO. ____ SEX ♂ AGE ad. TOE CLIP# 40

WEIGHT(gms) 10.4 SNOUT-VENT LENGTH(mm) 68

DATE FEB 25 1961 SPEEDOMETER ____

LOCALITY UCR campus

COUNTY RIVERSIDE CALIF.

STANDARD TIME ____ CLOUDS(% overcast) 0

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 1200

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT coastal sage scrub

CHASE ____ FEET

REMARKS: caught by Dave Young

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 350

CONTAINER NO. ____ SEX ♂ AGE ad. TOE CLIP# 41

WEIGHT(gms) 15.6 SNOUT-VENT LENGTH(mm) 76

DATE FEB 25 1961 SPEEDOMETER ____

LOCALITY UCR campus

COUNTY RIVERSIDE CALIF.

STANDARD TIME ____ CLOUDS(% overcast) 0

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 1200

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT coastal sage scrub

CHASE ____ FEET

REMARKS: caught by Dave Young

SPECIES *Sceloporus occidentalis* TAG. NO. 351

CONTAINER NO. ____ SEX ♂ AGE ad. TOE CLIP # 24

WEIGHT(gms) 15.5 SNOUT-VENT LENGTH(mm) 77

DATE Feb. 25, 1961 SPEEDOMETER ____

LOCALITY Rubidoux (Santa Ana River bed)

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1300-1500 CLOUDS(% overcast) 0

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 780

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) 23.0 °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT stream bed

CHASE ____ FEET

REMARKS: caught by Dick Sather

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 352

CONTAINER NO. — SEX ♂ AGE ad. TOE CLIP # 26

WEIGHT(gms) 15.5 SNOUT-VENT LENGTH(mm) 76

DATE FEB 25 1961 SPEEDOMETER _____

LOCALITY Rubidoux (Santa Ana River)

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1300-1500 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) 780

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) 23.0 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT stream bed

CHASE _____ FEET

REMARKS: caught by Dick Sather

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 353

CONTAINER NO. ____ SEX ♂ AGE ad. TOE CLIP # 34

WEIGHT(gms) 16.9 SNOUT-VENT LENGTH(mm) 77

DATE FEB 25 1961 SPEEDOMETER ____

LOCALITY Rubidoux (Santa Ana River)

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1300-1500 CLOUDS(% overcast) 0

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 780

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) 23.0 °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT stream bed

CHASE ____ FEET

REMARKS: caught by Dick Sather

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 35H

CONTAINER NO. ____ SEX ♂ AGE ad TOE CLIP# 36

WEIGHT(gms) 10.9 SNOUT-VENT LENGTH(mm) 68

DATE FEB 25 1961 SPEEDOMETER ____

LOCALITY Rubidoux (Santa Ana River)

COUNTY RIVERSIDE CALIF.

STANDARD TIME ____ CLOUDS(% overcast) 0

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 780

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) 23.0 °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT stream bed

CHASE ____ FEET

REMARKS: caught by Dick Sather

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 355

CONTAINER NO. ____ SEX ♀ AGE ad(?) TOE CLIP# 32

WEIGHT(gms) 7.4 SNOUT-VENT LENGTH(mm) 58

DATE FEB 25 1961 SPEEDOMETER ____

LOCALITY Rubidoux

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1300 - 1500 CLOUDS(% overcast) 0

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft) 780

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) 23.0 °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT Santa Ana River bed

CHASE ____ FEET

REMARKS: caught by Dick Sather

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 356

CONTAINER NO. ____ SEX ♀ AGE ad(?) TOE CLIP# 37

WEIGHT(gms) 4.4 SNOUT-VENT LENGTH(mm) 51

DATE FEB 25 1951 SPEEDOMETER ____

LOCALITY Rubidoux

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1300 – 1500 CLOUDS(% overcast) 0

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft) 780

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) 23.0 °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT Santa Ana River bed

CHASE ____ FEET

REMARKS: caught by Dick Sather

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 357

CONTAINER NO. ____ SEX ♀ AGE ad(?) TOE CLIP# 27

WEIGHT(gms) 3.6 SNOUT-VENT LENGTH(mm) 47

DATE FEB 25 1961 SPEEDOMETER ____

LOCALITY Rubidoux

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1300 - 1500 CLOUDS(% overcast) 0

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft) 780

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) 23.0 °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT Santa Ana River bed

CHASE ____ FEET

REMARKS: caught by Dick Sather

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 358

CONTAINER NO. ____ SEX ♀ AGE ad (?) TOE CLIP# 33

WEIGHT(gms) 6.1 SNOUT-VENT LENGTH(mm) 57

DATE FEB 25 1981 SPEEDOMETER ____

LOCALITY Rubidoux

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1300-1500 CLOUDS(% overcast) 0

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft) 780

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) 23.0 °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT Santa Ana River bed

CHASE ____ FEET

REMARKS: caught by Dick Sather

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 359

CONTAINER NO. ____ SEX ♀ AGE ad(?) TOE CLIP# 28

WEIGHT(gms) 5.7 SNOUT-VENT LENGTH(mm) 52

DATE FEB 25 1961 SPEEDOMETER ____

LOCALITY Rubidoux

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1300 - 1500 CLOUDS(% overcast) 0

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft) 780

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) 23.0 °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT Santa Ana River bed

CHASE ____ FEET

REMARKS: caught by Dick Sather

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 360

CONTAINER NO. _____ SEX ♀ AGE ad (?) TOE CLIP# 31

WEIGHT(gms) 4.1 SNOUT-VENT LENGTH(mm) 49

DATE FEB 25 1961 SPEEDOMETER _____

LOCALITY Rubidoux

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1300 - 1500 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 780

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) 23.0 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT Santa Ana River bed

CHASE _____ FEET

REMARKS: caught by Dick Sather

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 361

CONTAINER NO. ____ SEX ♀ AGE ad(?) TOE CLIP# 30

WEIGHT(gms) 5.5 SNOUT-VENT LENGTH(mm) 55

DATE FEB 25 1961 SPEEDOMETER ____

LOCALITY Rubidoux

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1300 - 1500 CLOUDS(% overcast) 0

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft) 780

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) 23.0 °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT Santa Ana River bed

CHASE ____ FEET

REMARKS: caught by Dick Sather

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 362

CONTAINER NO. ____ SEX ♂ AGE ad? TOE CLIP# 25

WEIGHT(gms) 7.2 SNOUT-VENT LENGTH(mm) 60

DATE FEB 25 1961 SPEEDOMETER ____

LOCALITY Rubidoux

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1300 - 1500 CLOUDS(% overcast) 0

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft) 780

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) 23.0 °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT Santa Ana River bed

CHASE ____ FEET

REMARKS: caught by Dick Sather

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 363

CONTAINER NO. ____ SEX ♂ AGE ad? TOE CLIP# 42

WEIGHT(gms) 6.1 SNOUT-VENT LENGTH(mm) 56

DATE FEB 25 1961 SPEEDOMETER ____

LOCALITY UCR campus

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME A.M. CLOUDS(% overcast) 0

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT coastal sage scrub

CHASE ____ FEET

REMARKS: caught by Dave Young

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 364

CONTAINER NO. ____ SEX ♂ AGE ad. TOE CLIP# 35

WEIGHT(gms) 11.8 SNOUT-VENT LENGTH(mm) 69

DATE FEB 25 1991 SPEEDOMETER ____

LOCALITY Rubidoux

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1300 - 1500 CLOUDS(% overcast) 0

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft) 780

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) 23.0 °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT Santa Ana River bed

CHASE ____ FEET

REMARKS: caught by Dick Sather

SPECIES *Sceloporus occidentalis* TAG NO. *365*

CONTAINER NO. — SEX *♂* AGE *ad.* TOE CLIP# *43*

WEIGHT(gms) *10.8* SNOUT-VENT LENGTH(mm) *66*

DATE *Mar. 5, 1961* SPEEDOMETER

LOCALITY *1 mi. W. of Alessandro*

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) *1600*

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT *coastal sage scrub*

CHASE FEET

REMARKS: *caught by Dick Sather*

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 366

CONTAINER NO. ~ SEX ♂ AGE ad. TOE CLIP# 44

WEIGHT(gms) 18.6 SNOUT-VENT LENGTH(mm) 80

DATE Mar. 5, 1961 SPEEDOMETER

LOCALITY 1 mi. W. of Alessandro

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 1600

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE FEET

REMARKS: 3 toes gone on right front foot

caught by Dick Sather.

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 367

CONTAINER NO. — SEX ♀ AGE ad. TOE CLIP# 45

WEIGHT(gms) 11.9 SNOUT-VENT LENGTH(mm) 71

DATE Mar. 8, 1961 SPEEDOMETER

LOCALITY UCR campus

COUNTY Riverside CALIFORNIA

STANDARD TIME ~~RIVERSIDE~~ CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE FEET

REMARKS: caught by Dick Sather

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 368

CONTAINER NO. — SEX ♂ AGE ad. TOE CLIP# 46

WEIGHT(gms) 15.1 SNOUT-VENT LENGTH(mm) 70

DATE MAR 8 1961 SPEEDOMETER

LOCALITY UCR campus

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE FEET

REMARKS: caught by Dick Sather

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 369

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# 47

WEIGHT(gms) 5.5 SNOUT-VENT LENGTH(mm) 56

DATE MAR 3 1961 SPEEDOMETER

LOCALITY UCR campus

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME ~~RIVERSIDE~~ CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE FEET

REMARKS: short toes on all feet. Caught by Dick Sather

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 370

CONTAINER NO. – SEX ♀ AGE ad. TOE CLIP# 48

WEIGHT(gms) 10.2 SNOUT-VENT LENGTH(mm) 72

DATE MAR 8 1961 SPEEDOMETER

LOCALITY UCR campus

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE FEET

REMARKS: caught by Dick Sather

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 371

CONTAINER NO. - SEX ♀ AGE imm TOE CLIP# 49

WEIGHT(gms) 6.4 SNOUT-VENT LENGTH(mm) 56

DATE MAR 8 1961 SPEEDOMETER

LOCALITY UCR campus

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE FEET

REMARKS: caught by Dick Sather

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 372

CONTAINER NO. — SEX ♀ AGE imm. TOE CLIP# 50

WEIGHT(gms) 4.5 SNOUT-VENT LENGTH(mm) 48

DATE MAR 8 1961 SPEEDOMETER

LOCALITY UCR campus

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE FEET

REMARKS: caught by Dick Sather

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 373

CONTAINER NO. — SEX ♂ AGE ad. TOE CLIP# 51

WEIGHT(gms) 9.5 SNOUT-VENT LENGTH(mm) 65

DATE MAR 8 1951 SPEEDOMETER

LOCALITY UCR campus

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT coastal/ sage scrub

CHASE FEET

REMARKS: caught by Dick Sather

SPECIES Sceloporus occidentalis TAG NO. 374

CONTAINER NO. R38 SEX ♂ AGE ad. TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 65

DATE Mar. 13, 1961 SPEEDOMETER _____

LOCALITY 2 mi. N.W. of Sunnymead

COUNTY Riverside CALIFORNIA

STANDARD TIME 1410 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 2000

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 27.5 °C AIR TEMP(1 cm) 28.4 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.2 °C

ROCK SURFACE TEMP 37.4 °C SUBSTRATE TEMP _____ °C

HABITAT ~~coastal sage scrub~~ chaparral

CHASE 0 FEET

REMARKS: in shade on a rock

SPECIES Sceloporus occidentalis TAG NO. 375

CONTAINER NO. Y7 SEX ♂ AGE ad. TOE CLIP#

WEIGHT(gms) 12.7 SNOUT-VENT LENGTH(mm) 67

DATE MAR 11 1961 SPEEDOMETER

LOCALITY UCR campus

COUNTY Riverside CALIFORNIA

STANDARD TIME 1030 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) 20.9 °C AIR TEMP(1 cm) 25.0 °C

SOIL SURFACE TEMP 37.0 °C CLOACAL TEMP 37.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP 37.0 °C

HABITAT coastal sage scrub

CHASE 0 FEET

REMARKS: on fence post

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 376

CONTAINER NO. B57 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) 7.1 SNOUT-VENT LENGTH(mm) 56

DATE MAR 11 1961 SPEEDOMETER

LOCALITY UCR campus

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1032 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) 20.9 °C AIR TEMP(1 cm) 25.0 °C

SOIL SURFACE TEMP 37.0 °C CLOACAL TEMP 30.5 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 5 FEET

REMARKS: on open ground

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 377

CONTAINER NO. B57 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) 10.2 SNOUT-VENT LENGTH(mm) 67

DATE MAR 11 1961 SPEEDOMETER

LOCALITY UCR campus

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1045 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) 20.9 °C AIR TEMP(1 cm) 25.0 °C

SOIL SURFACE TEMP 37.0 °C CLOACAL TEMP 35.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 0 FEET

REMARKS: on log

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 378

CONTAINER NO. R11 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) 14.1 SNOUT-VENT LENGTH(mm) 69

DATE MAR 11 1961 SPEEDOMETER

LOCALITY UCR campus

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1045 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) 20.9 °C AIR TEMP(1 cm) 25.0 °C

SOIL SURFACE TEMP 37.0 °C CLOACAL TEMP 35.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 15 FEET

REMARKS: on limb of tree

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 379

CONTAINER NO. R18 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) 15.6 MT SNOUT-VENT LENGTH(mm) 79

DATE MAR 11 1961 SPEEDOMETER _____

LOCALITY UCR campus

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1155 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 20.9 °C AIR TEMP(1 cm) 25.0 °C

SOIL SURFACE TEMP 37.0 °C CLOACAL TEMP 35.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT coastal sage scrub

CHASE 0 FEET

REMARKS: on rock

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 380

CONTAINER NO. B55 SEX ♀ AGE ad? TOE CLIP# 1

WEIGHT(gms) 5.4 SNOUT-VENT LENGTH(mm) 48

DATE MAR 13 1961 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1035 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION W ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. °C

AIR TEMP(30 in) 21.8 °C AIR TEMP(1 cm) 25.4 °C

SOIL SURFACE TEMP 44.4 °C CLOACAL TEMP 36.2 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 2 FEET

REMARKS: on ground in sun beneath walnut tree

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 381

CONTAINER NO. Y13 SEX ♂ AGE ad TOE CLIP# 2

WEIGHT(gms) 16.6 SNOUT-VENT LENGTH(mm) 76

DATE MAR 13 1961 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1045 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION N ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. °C

AIR TEMP(30 in) 21.8 °C AIR TEMP(1 cm) 25.4 °C

SOIL SURFACE TEMP 44.4 °C CLOACAL TEMP 34.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 6 FEET

REMARKS: in sun on a board

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 382

CONTAINER NO. B 55 SEX ♂ ♀ AGE ad j TOE CLIP# 3

WEIGHT(gms) 10.0 SNOUT-VENT LENGTH(mm) 68

DATE MAR 13 1961 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1105 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION N ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. °C

AIR TEMP(30 in) 21.8 °C AIR TEMP(1 cm) 25.4 °C

SOIL SURFACE TEMP 24.8 °C CLOACAL TEMP 35.6 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 0 FEET

REMARKS: in sun on a fence post

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 383

CONTAINER NO. B53 SEX ♀ AGE ad TOE CLIP# X

WEIGHT(gms) 7.7 SNOUT-VENT LENGTH(mm) 62

DATE MAR 13 1961 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1112 CLOUDS(% overcast) 0

MOON – RELATIVE HUMIDITY(%)

WIND DIRECTION N ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. °C

AIR TEMP(30 in) 24.2 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP 37.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 0 FEET

REMARKS: broken shade on a fence. ♂ caught within 3 feet — thought to be a pair.

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 384

CONTAINER NO. Y13 SEX ♂ AGE ad. TOE CLIP# 4

WEIGHT(gms) 15.4 SNOUT-VENT LENGTH(mm) 74

DATE MAR 23 '01 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1120 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION N ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. °C

AIR TEMP(30 in) 24.2 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP 34.4 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 0 FEET

REMARKS: in broken shade on branch of walnut tree. ♀ caught within 3 feet — thought to be a pair.

BOTH FRONT LEGS GONE

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 385

CONTAINER NO. B25 SEX ♀ AGE ad. TOE CLIP# 5

WEIGHT(gms) 12.2 SNOUT-VENT LENGTH(mm) 71

DATE MAR 13 1961 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1135 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION N ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. °C

AIR TEMP(30 in) 24.2 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP ~50+ °C CLOACAL TEMP 33.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 8 FEET

REMARKS: in sun on water trough — ot escaped at same place.

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 386

CONTAINER NO. Y13 SEX ♂ AGE ad TOE CLIP# 6

WEIGHT(gms) 15.3 SNOUT-VENT LENGTH(mm) 74

DATE MAR 13 1961 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1150 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION N ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. °C

AIR TEMP(30 in) 24.2 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP 35.5 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 2 FEET

REMARKS: in sun on top of fence post

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 387

CONTAINER NO. R32 SEX ♂ AGE ad TOE CLIP# 7

WEIGHT(gms) 15.9 SNOUT-VENT LENGTH(mm) 74

DATE MAR 13 1961 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1200 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION N ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. °C

AIR TEMP(30 in) 24.2 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP 32.4 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 5 FEET

REMARKS: in sun on top of fence post

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 388

CONTAINER NO. R40 SEX ♂ AGE ad TOE CLIP# 8

WEIGHT(gms) 14.3 SNOUT-VENT LENGTH(mm) 69

DATE MAR 13 1961 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1205 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION N ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. °C

AIR TEMP(30 in) 24.2 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP 35.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 1 FEET

REMARKS: in sun on top of a pile of brick

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 389

CONTAINER NO. R28 SEX ♂ AGE ad. TOE CLIP# 9

WEIGHT(gms) 10.1 SNOUT-VENT LENGTH(mm) 63

DATE [illegible] SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1210 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION N ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. °C

AIR TEMP(30 in) 24.2 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP 33.2 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 0 FEET

REMARKS: in sun on pile of plant debris

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 390

CONTAINER NO. Y5 SEX ♂ AGE ad. TOE CLIP# 2

WEIGHT(gms) 14.5 SNOUT-VENT LENGTH(mm) 72

DATE MAR 13 1961 SPEEDOMETER

LOCALITY 2 mi. N.W. of Sunnymead

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1440 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 2000

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) 27.5 °C AIR TEMP(1 cm) 28.4 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 34.4 °C

ROCK SURFACE TEMP 37.4 °C SUBSTRATE TEMP °C

HABITAT Chaparral

CHASE 6 FEET

REMARKS: in sun on a rock

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 391

CONTAINER NO. R30 SEX ♀ AGE ad. TOE CLIP#

WEIGHT(gms) 11.6 SNOUT-VENT LENGTH(mm) 69

DATE MAR 13 1961 SPEEDOMETER

LOCALITY 2 mi. N.W. of Sunnymead

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1525 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 2000

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) 23.0 °C AIR TEMP(1 cm) 23.6 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 35.2 °C

ROCK SURFACE TEMP 29.0 °C SUBSTRATE TEMP °C

HABITAT chaparral

CHASE 0 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 392

CONTAINER NO. B52 SEX ♂ AGE ad. TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 68

DATE MAR 18 1961 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0935 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. °C

AIR TEMP(30 in) 14.0 °C AIR TEMP(1 cm) 14.0 °C

SOIL SURFACE TEMP 32.8 °C CLOACAL TEMP °C

ROCK SURFACE TEMP 32-8 °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 0 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 393

CONTAINER NO. B52 SEX ♀ AGE ad? TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 54

DATE MAR 18 1961 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0935 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) 14.0 °C AIR TEMP(1 cm) 14.0 °C

SOIL SURFACE TEMP 32.8 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT Coastal sage scrub

CHASE 0 FEET

REMARKS: under a rock

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 394

CONTAINER NO. B55 SEX ♂ AGE ad. TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 71

DATE MAR 18 1981 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0950 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION N.W. ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. °C

AIR TEMP(30 in) 15.0 °C AIR TEMP(1 cm) 17.0 °C

SOIL SURFACE TEMP 37.0 °C CLOACAL TEMP 35.6 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 10 FEET

REMARKS: in sun on a board

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 395

CONTAINER NO. R36 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 78

DATE MAR 18 1961 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1000 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. °C

AIR TEMP(30 in) 15.0 °C AIR TEMP(1 cm) 17.0 °C

SOIL SURFACE TEMP 37.0 °C CLOACAL TEMP 32.2 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 2 FEET

REMARKS: in sun on a rock

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 396

CONTAINER NO. B55 SEX ♀ AGE imm TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 49

DATE MAR 18 1961 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1010 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. °C

AIR TEMP(30 in) 15.0 °C AIR TEMP(1 cm) 17.0 °C

SOIL SURFACE TEMP 37.0 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE FEET

REMARKS:

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 397

CONTAINER NO. B52 SEX ♂ AGE ad. TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 66

DATE MAR 18 1961 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1015 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. °C

AIR TEMP(30 in) 15.0 °C AIR TEMP(1 cm) 17.0 °C

SOIL SURFACE TEMP 37.0 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 0 FEET

REMARKS: in sun on post

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 398

CONTAINER NO. B20 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 61

DATE MAR 18 1981 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1025 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. °C

AIR TEMP(30 in) 15.0 °C AIR TEMP(1 cm) 17.0 °C

SOIL SURFACE TEMP 37.0 °C CLOACAL TEMP 33.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 0 FEET

REMARKS: in sun on post

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 399

CONTAINER NO. B20 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 69

DATE MAR 18 1961 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1025 CLOUDS(% overcast) 0

MOON – RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. °C

AIR TEMP(30 in) 15.0 °C AIR TEMP(1 cm) 17.0 °C

SOIL SURFACE TEMP 37.0 °C CLOACAL TEMP 33.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 0 FEET

REMARKS: in sun on post

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 400

CONTAINER NO. R9 SEX ~~♀~~ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 75

DATE MAR 18 1961 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1315 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 1000

WIND VELOCITY(mi/hr) 10-12 ROAD TEMP. °C

AIR TEMP(30 in) 19.4 °C AIR TEMP(1 cm) 23.6 °C

SOIL SURFACE TEMP 44.0 °C CLOACAL TEMP 32.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 0 FEET

REMARKS: in sun on log